The Treatment of Vascular Dementia in Acupuncture Based on Syndromes Differentiation

Liangdeng Zhang^{1,2}, Jie Wang¹, Kuiwu Yao¹ and Ji Zhang²

¹Guang'anmen Hospital, China Academy of Chinese Medical Sciences, Beijing

²School of Acupuncture and Moxibustion, Beijing University of Chinese Medicine, Beijing
China

1. Introduction

Vascular dementia (VaD) is a progressive neurodegenerative syndrome that encompasses a wide spectrum of cognitive disorders caused by cerebrovascular diseases (Pennisi et al., 2011; Selnes & Vinters, 2006). VaD and Alzheimers disease (AD) are the most common dementia syndromes in the elderly (Matioli & Caramelli, 2010). However, only a small percentage of elderly patients have 'pure AD' or 'pure VaD' (Fotuhi et al., 2009), both of which are caused by mixed aetiology and pathophysiology. Clinical diagnostic criteria of VaD show moderate sensitivity (50-70%) and variable specificity (64-98%) (Jellinger, 2008). The frequency of specific neuropathologic features of vascular cognitive impairment depends largely on study exclusion criteria (Selnes & Vinters, 2006). Although the use of voxel-based multivariate analysis in ¹⁸FDG PET extracted a metabolic pattern could differentiate VaD and AD efficiently (Kerrouche et al., 2006). VaD is in silent epidemic now as global ageing population developing, while its prevalence ranges from 4.5 to 39% with standardized incidence rates between 0.42 and 2.68 per 100,000 world people (Jellinger, 2008), caused by cerebrovascular disorders and vascular risk factors, such as stroke, generalized cerebral atherosclerosis, hypertension, hypercholesterolaemia, especially progressive cerebrovascular atherosclerosis and consecutively stroke in asian and western countries (Konno et al., 1997). There are many subtypes of VaD, such as cortical VaD, subcortical VaD and cortical-subcortical VaD. The mechanisms that lead to VaD are controversial and remain to be elucidated (Schuff et al., 2009). Gene-environment interactions are central to human disease (Traynor & Singleton, 2010), as well as VaD. Virus-gene interactions also should not be ignored (Dobson et al., 2003). Telomere length may be an independent predictor for the risk of VaD (Zglinicki et al., 2000).

The name of VaD is *chidai* in traditional Chinese medicine (TCM). The earliest description of *chidai* ascends to *Pre-Qin* Dynasty in China, such as the book *Zuozhuan* said '*Chidai* is the meaning of not clever.' *Huangdi's Internal Classics* recorded the classic understanding of VaD correlated with age in TCM, as it said 'Heart *qi* begins weakness at sixty years old, the elderly are fond of being anxious and depressed, while blood and *qi* are apt to delinquency, which lead to be keen on decubitus or sleep; Lung *qi* begins weakness at eighty years old, the soul of the elderly are dispersion, which lead to be often mistake on communication.'

Huangdi's Internal Classics also said 'Head is the house of intelligence... Heart is the viscus likened to the monarch in the body which produces the intelligence... Heart is as a major regulator of five *zang*-organs and six *fu*-organs and is also the house of spirit... Heart stores the spirit, lung stores the soul, liver stores the mentality, spleen stores the will, and kidney controls the aspiration.' *Compendium of Materia Medica* proposed definitely that 'Brain is the house of cerebral spirit'. As we know, both the patterns of holism and treatment with syndromes differentiation are the special characteristics of TCM. So the brain is the location of disease of VaD, as well as the heart in TCM. Besides, the disorders of any of five *zang*-organs and six *fu*-organs could lead to cognition impairment and VaD. For example, heart stores the spirit and kidney is the origin of primordial *qi* and *yinyang*, both the two viscera could be as assistance for the brain to manage spirit. As *Syndromes Differentiation Record* said 'The integration of heart and kidneys produce wisdom, while the failure of which lead to wisdom loss'.

2. The primary etiology and pathogenesis of VaD in TCM

The characteristics of disease of VaD in TCM are asthenia in origin and sthenia in superficiality, as well as deficiency syndrome mingling with excess syndrome. There are five highlights on primary etiology and pathogenesis of VaD in TCM while integrating our decades of years for TCM clinical practice. The five primary points on understanding VaD in TCM should be integrated with western medicine to guide for clinical practice (Zhang, 2010).

2.1 Ageing and asthenia of healthy energy accompanying with concurrent diseases of *zang*-organs and *fu*-organs

The functions of *zang*-organs and *fu*-organs are degenerative in the elderly as age growing. *Huangdi's Internal Classics* said 'The male's kidney *qi* begins weakness at forty years old, while liver *qi* begins weakness at fifty-six'. On the one hand, *yin qi* is degenerative with aging, both the essence and blood are deficient, as well as marrow-reservoir, which lead to loss of brain nourish and dysfunction of the mind and psychoactivity. On the other hand, the essence and blood of liver and kidneys are insufficient, hyperactivity of fire caused by deficiency of *yin* that leads to endogenous deficient wind, which induce activities discomforts. Besides, heart and spleen are deficient gradually with aging, heart deficiency leads to dysfunction of the mind while spleen deficiency causes insufficiency of *qi* and blood, which lead to deficiency of essence and marrow and dull of the mind.

2.2 Autolesion of *zang*-organs and *fu*-organs caused by seven emotions disorder

Seven emotions include the joy, rage, anxiety, contemplation, sorrow, fear and surprise in TCM. *Huangdi's Internal Classics* said 'rage drives *qi* upward, overjoy slackens *qi*, excessive sorrow consumes *qi*, fear disorders *qi*, over-strain consume essence, anxiety causes *qi* stagnation.' The disorder of seven emotions could lead to dysfunction of *qi* and blood, lack nourish of heart mind and brain sea, which turn out to be abnormal mind and cognition impairment and dementia.

2.3 Five excessive emotional activities and incoordination of seven emotions

Five emotional activities correlate with functions of five *zang*-organs closely, including joy, rage, anxiety, contemplation, and fear. *Huangdi's Internal Classics* said 'heart associates with

joy, liver connects with rage, spleen associates with contemplation, lungs govern anxiety, and the emotion of the kidneys is fear.' Excess of liver *qi* causes rage, pathogenic fire derives from stagnation of liver *qi*, aberration of heart mind, hyperactivity of both fire of heart and liver, all of which lead to be insufficiency of essence and blood and marrow sea and dysfunction of the mind, then, turn out cognition impairment and dementia.

2.4 Turbid phlegm blocks the clear orifices and clear yang fails to distribution

The brain is the house of clear *yang* and upper *qi* in TCM. If the upper *qi* was not enough, the brain sea would be deficient. On one hand, internal stagnation of phlegm would be occurrence caused by kidneys deficiency, or excessive contemplation injuring spleen, then, transformation failure of stomach and intestine and metabolic disorder of body fluid. On the other hand, long addiction to fatty and sweet food and smoking and alcohol abuse lead to stagnation of *qi* due to phlegm and damp. All of which cause turbid phlegm to block the willing, yet, the brain would be deficient and dysfunction of the mind, thus, lead to dementia.

2.5 Blood stasis obstructs the collaterals and deficiency of marrow-reservoir

Blood is one of the most treasurable objects of human body as well as *qi*, both of which enriched in the brain sea are the source of wisdom. 'If inside blood stasis occurred, the patient would turn out morbid forgetfulness and madness' said in *Systematic Compilation of Internal Classic*. Blood stasis or deficiency in brain would lead to abnormal mind. 'Demented syndrome caused by *qi* and blood stagnation' also said in *Errors in Medicine Corrected*. Cognitive impairment is caused by *qi* stagnation and blood stasis in meridians and collaterals, especially after stroke as aging.

3. Treatment of VaD in acupuncture based on syndromes differentiation

The treatment of VaD in acupuncture has thousands of year origin in TCM. *Yulong Classics on Acupuncture and Moxibustion* said 'Shenmen (HT 7) could treat dementia alone.' *Classified Classics on Acupuncture and Moxibustion* said 'Neiguan (PC 6) could regulate the impaired cognition.' *Compendium of Acupuncture and Moxibustion* also said 'Baihui (DU 20) could regulate wind syndrome of head and stroke, pavor and morbid forgetfulness, and syndrome of to be ill at ease and full of dread.' The effect of VaD treatment on acupuncture is definite. And the advantage of acupuncture includes simple and convenient, inexpensive, without any toxicity and side effects way for excellent treatment choice. The TCM clinical effect is the most important leading advantage for clinical practice as well as acupuncture. The effect of acupuncture includes dredging meridians and collaterals, strengthening healthy *qi* to eliminate pathogens, and regulating *yin-yang*.

Doctrine of meridians and collaterals system has a clear understanding on VaD while combining with the above standpoints in TCM, especially to be reflected in twelve meridians and collaterals, and eight extra meridians. Acupuncture also has both TCM characteristics of patterns of holistic thought and syndromes differentiation, especially syndromes differentiation of meridians and collaterals. Therapeutic principle of acupuncture includes curing spirit and maintaining *qi*, reinforcing insufficiency and reducing excessiveness, simultaneous treatment of principal and subordinate symptoms, partial and whole treatment. The VaD treatment with syndromes differentiation in

acupuncture based on the integration guidance reflects TCM characteristics and objectives of regulating *yin-yang*. Usually, there are six syndromes of VaD classified for clinical practice in acupoints selection and manipulation. Acupoints should be modification according to syndromes as well as reinforcing and reducing techniques for needling. While two congregated head points (*Da* and *xiao Sishencong*) are so important to VaD treatment integrated with our decades of years clinical experience. Besides, ear acupuncture therapy, scalp-acupuncture therapy, hydro-acupuncture therapy, warm needling method, and other acupuncture therapy methods will be also flexible modification to obtain personal medical effect.

3.1 Syndrome of deficiency of kidney *qi* and marrow sea

‘The deficiency of marrow sea leads to vertigo and tinnitus, sore waist and weak kneed, delinquency and peacefully sleeping’ said in *Huangdi's Internal Classics*. Deficiency of kidneys leads to deficiency of marrow, both of which cause deficiency of the brain sea. Primary symptoms of syndrome of deficiency of kidney *qi* and marrow sea contain dizziness, dazzling, cloudiness vision, sore waist and weak kneed, delinquency and peacefully sleeping, daffy and dull expression, dull response, decline of memory, morbid forgetfulness, poor judgment ability, disorientation (such as often go wrong direction), discrimination disorder (such as often be unacquainted with familiar people or recognize wrong people), thin and sunken pulse, especially feeble *chi* pulse, thin and rufous tongue with few lingual fur. The therapeutical principle is to tonify kidneys and nourish marrow, ease mental anxiety and regain consciousness. And the primary acupoints for treatment of the syndrome involve *Sishencong* (also named as *Xiao Sishencong*) (EX-HN1), *Da Sishencong* (*Qinding*, *Houding*, *Luoque*) (DU 21, DU 19, BL 8), *Fengfu* (DU 16), *Dazhu* (BL 11), *Quchi* (LI 11), *Hegu* (LI 4), *Taixi* (KI 3), *Taichong* (LR 3). If dizziness and dazzling were severe, *Touwei* (ST 8), *Shenting* (DU 24) and *Fengchi* (GB 20), would be added. If insomnia and anxiousness were conspicuous, *Neiguan* and *Shenmen* would be added. If disorientation and discrimination disorder were severe, *Muchuang* (GB 16) and *Zhengying* (GB 17) would be added.

Sishencong is extraordinary point and surrounds *Baihui*, consisted of four acupoints which locate in DU and BL meridians. The hump of head is *yang* within *yang* in TCM, and *Baihui* which is the house of three *yang* meridians and five convergent collaterals. Foot *taiyang* meridian communicates with kidneys. Besides, the relationship of bladder and kidneys is exterior and interior. Especially, DU meridian also communicates both kidneys and heart. Kidneys essence could produce marrow and tonify the brain sea. So the stimulation of *Sishencong* could tonify kidneys *yang qi* and regulate diseases derived from the house of cerebral spirit. *Da Sishencong* is one of the most effective acupoints and distinguishing features of China national famous veteran teran doctors of TCM of professor *Zhangji's* experience on VaD treatment in acupuncture. *Da Sishencong* surrounds *Baihui* too. *Da Sishencong* is also consisted of five acupoints which locate in DU and GB meridians, which could combine *Sishencong* to enforce the effect of tonifying kidneys and marrow and repairing impaired cognition. *Fengfu* is convergent point of DU and *yang* link meridians, which could induce resuscitation. *Dazhu* is convergent acupoint of meridians of hand and foot *taiyang*, and one of eight convergent points that said as bone convergence, which could regulate *yang qi* and resuscitate the cognition. *Quchi* is the meeting point of five *shu* points and original point of hand *yangming* meridian, which is one of strengthening points and

could free *yang qi* and eliminate phlegm and promote blood circulation to remove blood stasis. *Hegu* also is in the meridian of hand *yangming*, which could dredge the meridian passage and tranquilize and allay excitement. *Taixi* is the meeting point of five *shu* points and original point of foot *shaoyin* meridian, which nourish kidneys *yin-yang* and remove cardiopyrexia for tranquilization. *Taichong* is the meeting point of five *shu* points and original point of foot *jueyin* meridian, which could calm the liver to stop the wind and disperse stagnated *qi* and blood of liver. All of the points could cooperate to target at the effective treatment of this VaD syndrome.

3.2 Syndrome of liver and kidneys *yin* deficiency, and the essence and marrow start to fade

Kidney stores essence and liver stores blood in TCM. The deficiency of essence and blood could lead to feeble marrow sea. Primary symptoms of this syndrome contain dizziness, dazzling, tinnitus and deaf, poor expression of eyes, dumb as a wooden chicken, reticence, memory decline, suspiciousness, visual hallucination, restlessness, sore waist and weak kneed, bizygomatic aestus, insomnia and night sweat, weak and thin body, squamous and dry skin, thin, wiry and frequent pulse, red tongue with few lingual fur. The therapeutical principle of which is to nourish liver and kidneys, strengthening marrow and spirit. And the primary acupoints for treatment of the syndrome involve *Xiao Sishencong*, *Da Sishencong*, *Touwei*, *Jingming* (BL 1), *Fengchi*, *Fengfu*, *Neiguan*, *Shenmen*, *Quchi*, *Zulinqi* (GB 41). If dizziness and dazzling were severe, *Xuanlu* (GB 5), *Xuanli* (GB 6), *Jingbailao* (EX-HN 15), would be added. If limbs tic occurred, *Baxie* (EX-UE 9), *Bafeng* (EX-LE 10), *Hegu* and *Taichong* would be added. If insomnia was conspicuous, *Anmian* (EX-HN 22), *Neiguan*, *Yinxi* (HT 6), *Taixi*, would be added. If fever with *yin* asthenia was severe, *Dazhui* (DU 14), *Dingchuan* (EX-B 1), *Fuliu* (KT 7), *Hegu*, would be added.

Touwei is convergent point of meridians of foot *shaoyang*, foot *yangming* and *yang* link, which refresh mental and eyes. *Jingming* is convergent point of meridians of hand and foot *taiyang*, foot *yangming*, *yin* and *yang* heels, which could reduce fever and improve acuity of vision, expel wind and promote the restoration of consciousness. *Fengchi* is convergent point of meridians of hand and foot *shaoyang*, and *yang* link, which could calm the liver to stop the wind, expel wind and promote the restoration of consciousness. *Neiguan* is collateral point of meridian of hand *jueyin*, and one of eight convergent points to communicate with *yin* link meridian, which could quiet down the mind and heart, and regulate *qi* to alleviate mental depression. *Shenmen* is the transport point of five *shu* points and original point of meridian of hand *shaoyin*, which could tranquilize mind and dredge the meridian passage. *Zulinqi* is the meeting point of five *shu* points and lower meeting point of meridian of foot *yangming*, which could invigorate spleen and stomach, strengthen healthy *qi* to eliminate pathogens, dredge the meridian passage. And all of these points could lead to regulate this VaD syndrome well.

3.3 Syndrome of asthenia of both spleen and kidneys, and damage of essence and marrow depletion

Spleen transports the nutritious substance in the stomach, while kidneys generate marrow and dominate bone in TCM. Asthenia of both spleen and kidneys would lead to marrow sea deficiency. Spleen is as *yin zang*-organs, so the symptoms of which are special at characteristics of quiet and autistic type. Thus, the primary symptoms of the syndrome

contain dull expression, reticence, decline of reaction ability, hypomnesia, agnosia, aprophoria, lapsus of reasoning and judgment, weak and thin body, muscular dystrophy, anorexia, short of breath, listless talk, thin, sunken and feeble pulse, light and plump tongue with teeth-marked. The therapeutical principle of which is to strengthen spleen and tonify kidneys. And the primary acupoints for treatment of the syndrome involve *Xiao Sishencong*, *Da Sishencong*, *Shenting*, *Fengfu*, *Dazhui*, *Quchi*, *Hegu*, *Yingu* (KI 10), *Sanyinjiao* (SP 6), *Taixi*. If insomnia was conspicuous, *Neiguan* and *Shenmen* would be added. If *yang* deficiency was conspicuous, *Guanyuan* (RN 4) and *Qihai* (RN 6) would be added. If *yin* deficiency was conspicuous, *Fuliu* and *Taichong* would be added. If the disorders of judgment and orientation were severe, *Shenmen*, *Daling* (PC 7), *Shenshu* (BL 23) would be added.

Shenting is convergent point of meridians of foot *taiyang* and *yangming*, and DU, which could quiet down the mind and activate brain, promote flow of *yang qi*. *Dazhui* is convergent point of three *yang* meridians, and DU, which could supplement *qi* and strengthen *yang*. *Yingu* is the meeting point of five *shu* points of meridian of foot *shaoyin*, which could nourish kidneys and regulate meridians, and regulate *qi* to dissipate blood stasis. *Sanyinjiao* is convergent point of meridians of foot three *yin*, which could invigorate spleen and stomach, nourish liver and kidneys, and dredge the meridian passage. All of the points, especially leaded with *Xiao Sishencong* and *Da Sishencong*, could mend impaired cognition of the syndrome.

3.4 Syndrome of seven emotions stagnation and hyperactivity of fire of heart and liver

Fire syndrome is caused by overreaction of the five emotions, such as flaming up of liver fire due to mental irritation. Both heart and liver are *yang zang*-organs, and the heart controls mental and emotional activities as liver controls dispersion, so hysteria often dues to fire of heart and liver. Primary symptoms of the syndrome involve nervous expression, polylogia, divagation, crankous behavior, visual hallucination, acouasm, restlessness, dizziness, dazzling, conjunctival congestion, constipated, oliguria with reddish urine, wiry, slippery and rapid pulse, red tongue with yellowy fur. The therapeutical principle of which is to clear liver fire and tranquilize by nourishing the heart. And the primary acupoints for treatment of the syndrome involve *Xiao Sishencong*, *Da Sishencong*, *Dazhui*, *Dingchuan*, *Quchi*, *Hegu*, *Anmian* (EX-HN 22), *Zhongwan* (RN 12), *Liangmen* (ST 21), *Fenglong* (ST 40), *Sanyinjiao*. If dizziness and dazzling was conspicuous as well as dry throat with bitter taste, *Touwei*, *Toulingqi* (GB 15), *Taiyang* (EX-HN 5), *Yingu*, would be added. If insomnia was conspicuous, *Neiguan*, *Shenmen*, *Daling*, would be added. If polylogia and paraphasia was conspicuous as well as restlessness, *Shenting*, *Shendao* (DU 11), *Xingjian* (LR 2), *Shuigou* (DU 26), *Fenglong* (ST 40), would be added.

Anmian is one of extraordinary points that could quiet down the mind and relieve mental train and strengthen kidneys. *Zhongwan* is convergent point of meridians of hand *taiyang* and *shaoyang*, foot *yangming*, and RN, which could invigorate spleen and stomach, calm the adverse-rising energy and disperse stagnated liver *qi*. *Liangmen* is at the meridian of foot *yangming* that could regulate stomach to smooth *qi*, invigorate spleen and soothing liver. *Fenglong* is collateral point of meridian of foot *yangming* that could invigorate spleen to remove phlem, regulate stomach to smooth *qi*, reduce phlegm by resuscitation. Therefore, the key effect of this syndrome is to regulate five emotions for ameliorating VaD.

3.5 Syndrome of damp abundance due to splenic asthenia and stagnation of phlegm in the orifices

For *qi* deficiency of spleen and stomach, transformation failure of spleen and stagnation of phlegm and damp turn out, which lead to turbid phlegm block the orifice of the heart and clear orifices, then, cognition is impaired. Primary symptoms of the syndrome contain dull expression, dementia, emotional instability, muzziness, lassitude and disorders of excessive sleepiness, anorexia, abdominal distention and pain, or oppressive and distending feeling due to stagnation of *qi*, much spittle, heaviness of head, slippery and moist pulse, light tongue, white and greasy fur on tongue. The therapeutical principle of which is to invigorate spleen to remove phlegm and eliminate phlegm for clearing orifices. And the primary acupoints for treatment of the syndrome involve *Xiao Sishencong*, *Da Sishencong*, *Shenting*, *Fengfu*, *Shuigou*, *Hegu*, *Fengchi*, *Zusanli*, *Fenglong*. If insomnia was conspicuous, *Neiguan*, *Shenmen*, *Daling* and *Anmian* would be added. If anorexia and abdominal distention were conspicuous, *Zhongwan*, *Liangqiu*, *Tianshu*, *Taixi*, *Shenmai*, *Zhaohai* and *Yangjiao* would be added. If depression was severe, *Sanyinjiao*, *Yanglingquan* (GB 34) and *Xuanzhong* (GB 39) would be added.

Shuigou is the meeting point of meridians of hand and foot *yangming*, and DU, which could reduce phlegm by resuscitation, and resuscitate by cooling, calm endopathic wind and remove heat. The effect of invigorating spleen to remove phlegm and resuscitation with other acupoints show a well match. The integrated with *Xiao Sishencong*, *Da Sishencong*, *Shenting*, *Fengfu*, *Hegu*, *Fengchi*, *Zusanli*, *Fenglong*, would target to this VaD syndrome exactly.

3.6 Syndrome of stagnation of *qi* to block orifices and blood stagnation in the brain

For lacking free flow of *qi* and blood as aging, or rich and fatty diet, which lead to blood stasis, in brain especially that would occur stroke, then, impaired cognition and dementia in the early stage. Primary symptoms of the syndrome contain dull expression, dementia, abnormal thought, eccentric behavior, personality and behaviour disorder, stillness in daytime and dysphoria at night, limbs paralysis, squamous and dry skin, dark eyes, thin and unsmooth pulse, light, purplish and dark tongue with petechiae, thin lingual fur. The therapeutical principle of which is to promote blood circulation to remove blood stasis and induce resuscitation. And the primary acupoints for treatment of the syndrome involve *Xiao Sishencong*, *Da Sishencong*, *Fengfu*, *Fengchi*, *Dazhu*, *Geshu* (BL 17), *Xuehai* (SP 10), *Kongzui* (LU 6). If recognition disorder was severe, *Shenting* and *Xinmen* (DU 22) would be added. If stroke and disorder of consciousness were severe, *Shuigou*, *Daling*, *Zhaohai* would be added. If deadlimb was conspicuous, *Baxie*, *Bafeng*, *Neiguan* and *Fuliu* would be added.

Geshu is one of eight convergent points said as blood convergence that could regulate *qi* to alleviate mental depression, and promote blood circulation to remove meridian obstruction. *Xuehai* is at the meridian of foot *taiyin* that could regulate *qi* and blood, and invigorate spleen to eliminate dampness. *Kongzui* is at the meridian of hand *taiyin* that could clear away heat for hemostasis, moisten lungs and regulate *qi*. All of the points are match with syndrome differentiation and obtain good effect.

4. Treatment of VaD in kinds of acupuncture therapy methods

4.1 Body acupuncture

The body acupuncture is the basic method to regulate VaD with the above syndromes differentiation. And kinds of needle insertion manipulations will be use based on the

selected acupoints. For examples, horizontal needling will be use for *Xiao Sishencong*, *Da Sishencong*, *Xinmen*, et al. Oblique needling will be use for *Shenting*, *Touwei*, et al. Penetration needling will be use for *Taixi*, *Yanlingquan*, *Neiguan*, et al. Deep needling will be use for *Sanyinjiao*, *Zusanli*, *Fenglong*, et al. Shallow needling will be use for *Jingming*, *Yamen*, et al. Yet, after obtaining acu-esthesia, manipulating needle to promote acu-esthesia will be enhanced, including manipulations of mild reinforcing and attenuating, reinforcing, reduction, et al.

4.2 Electroacupuncture

The electroacupuncture could strengthen acu-esthesia for VaD treatment. The selected acupoints for electroacupuncture are based on the differentiated syndrome. For examples, syndromes of deficiency of kidney *qi* and marrow sea of VaD that *Taixi*, *Dazhu*, *Hegu* will be use. Syndromes of damp abundance due to splenic asthenia and stagnation of phlegm in the orifices of VaD that *Xiao Sishencong*, *Zusanli*, *Fenglong* will be use. Quantity of stimulus electroacupuncture should comply with personal medicine principle.

4.3 Ears acupuncture

Ears contain the information of the whole organism in TCM and acupuncture theory. Therefore, ears acupoints are special in the field of acupuncture treatment as well as VaD. The clinical use of ears acupoints methods in china include massotherapy, magnetotherapy, electroacupuncture, blood-letting therapy, needle-embedding therapy, moulded therapy, plaster therapy, injection therapy, et al.

4.4 Semiconductor laser irradiation therapeutics

The use of semiconductor laser irradiation therapeutics for VaD also is based on syndromes differentiation and body acupuncture. After needle insertion manipulations of body acupuncture, some important acupoints will be integrated with low power or middle power semiconductor laser irradiation therapeutics for enhancing the acu-esthesia.

4.5 Scalp acu-therapy

Scalp acupuncture could be only use for VaD treatment as well as integrated with body acupuncture, such as *Xiao Sishencong*, *Da Sishencong*. Scalp also contains the information of the whole organism in TCM and acupuncture theory as well as ears. Scalp acupoints are special for VaD regulation, not only because of the head are both the house of points and disease location, but also the acupuncture theory and therapy methods are integrated to excellent effect. The manipulations include percussopunctator, horizontal needling, cauterized needling therapy, et al.

4.6 Others

Others acupuncture therapy methods contain acupoints injection, tongue acupuncture, catgut implantation at acupoint, eyes acupuncture, integrated with moxibustion also called warmed acupuncture, TCM herbals, western medicine, et al. So kinds of acupuncture therapy methods could be integrated for VaD treatment effectively in China, especially are based on TCM clinical pattern and personality medicine.

5. Clinical cases of VaD

A 65-year-old man was referred for morbid forgetfulness, dull expression and oligologia for 3 months. After nearly 5 decades of years of smoking, he had quit smoking 3 years. The skull examination in magnetic resonance imaging (MRI) indicated partial branches of mesencephal vascularities had minimal lesion disease without stroke at local hospital 3 months ago. Although he was summated citicoline sodium and other trophic nerve drugs, the symptoms had been advanced still. So acupuncture was required for regulation by the patient's family. The patient has no other risk factors for heart diseases, such as hypertension, hyperlipoidemia, hyperglycaemia. The patient had dull expression, few speech, tied tongue, slurred speech, poor reactive ability, action retardation, disorder of reasoning and judgment, morbid forgetfulness and insomnia, agnosia, acalculia, sore waist and weak knees, muscular dystrophy of limbs, anorexia, short of breath and fatigue, thin, sunken and feeble pulse, light tongue, plump body of tongue with marked teeth, yellowy lingual fur. MRI was used to confirm the diagnosis of VaD as well as the use of mini-mental state examination (MMSE). While integrated holistic syndrome differentiation pattern to definite the syndrome of asthenia of both spleen and kidneys, and damage of essence and marrow depletion, and the therapeutical principle of which is to strengthen spleen and tonify kidneys. The primary acupoints for treatment of the syndrome involve *Xiao Sishencong*, *Da Sishencong*, *Shenting*, *Fengfu*, *Dazhui*, *Quchi*, *Hegu*, *Yingu*, *Sanyinjiao*, *Taixi*, *Qihai*, *Shenmen*. The use of mild reinforcing and attenuating way to stimulate the acupoints in 1 to 1.5 inch needle maintain half an hour every time, manipulate needles to promote acuesthesia 2 to 3 times, integrated with scalp acupuncture, electroacupuncture and ears acupuncture therapy, and once-daily therapy for strengthening effect. For half years treatment, the patient's impaired cognition obtained an effective improvement, especially in communication and life of quality. The acupoints and manipulations were changed as the change of patient's VaD situation development and prognosis. After one year's treatment in acupuncture with strengthening TCM daily regulation and rehabilitation, the patient's VaD is cure, and the skull MRI indicated well that matching with this aged.

6. Conclusions

The understanding of VaD in TCM and treatment of that in acupuncture are advantaged on clinical effect which also is as the most leading important topic for acupuncture study. Etiopathogeneses of VaD contain five highlights in TCM, including ageing and asthenia of healthy energy accompanying with concurrent diseases of *zang*-organs and *fu*-organs, autolesion of *zang*-organs due to improper seven emotions, injured by five viscera excessive emotional activities and incoordination of seven emotions, turbid phlegm blocks the clear orifices and clear *yang* fails to distribution, blood stasis obstructs the collaterals and deficiency of marrow-reservoir. The five primary points on understanding VaD in TCM are integrated with western medicine to guide for clinical practice. There are six syndromes of VaD classified for clinical practice in acupoints selection and manipulation, including syndromes of deficiency of kidney *qi* and marrow sea, liver and kidneys *yin* deficiency and the essence and marrow start to fade, asthenia of both spleen and kidneys and damage of essence and marrow depletion, damp abundance due to splenic asthenia and stagnation of phlegm in the orifices, stagnation of *qi* to block orifices and blood stagnation in the brain. As result that treatment with syndromes differentiation in acupuncture on VaD is clear and

easy for clinical practice, especially to enhance the effect of acupuncture, while integrated with kinds of therapy methods of acupuncture. However, modern science and technology and methodology should be induced to acupuncture for reveal and solve the scientific problems so that the development and use of acupuncture will be widespread and popular, such as randomized controlled trial and meta-analysis of best evidence for guidelines (Fernández et al., 2011; Ho et al., 2011). In conclusion, the use of acupuncture to treat VaD just reflects TCM thinking pattern on regulating diseases effectively which are as partial of thousands years sediments evidence on personal clinical medicine.

7. References

- Dobson, C.B., Wozniak, M.A., Itzhaki, R.F. (2003). Do infectious agents play a role in dementia? *Trends Microbiol* 11(7):312-317.
- Fernández, P.J., Campoy, G., García Santos, J.M., et al. (2011). Is there a specific pattern of attention deficit in mild cognitive impairment with subcortical vascular features? Evidence from the attention network test, *Dement Geriatr Cogn Disord* 31(4):268-275.
- Fotuhi, M., Hachinski, V., Whitehouse, P.J. (2009). Changing perspectives regarding late-life dementia, *Nat Rev Neurol* 5(12):649-658.
- Jellinger, K.A. (2008). Morphologic diagnosis of 'vascular dementia'-a critical update, *J Neurol Sci* 270(1-2):1-12.
- Konno S., Meyer J.S., Terayama Y., et al. (1997). Classification, diagnosis and treatment of vascular dementia, *Drugs Aging* 11(5):361-373.
- Kerrouche, N., Herholz, K., Mielke, R., et al. (2006). ¹⁸FDG PET in vascular dementia: differentiation from Alzheimer's disease using voxel-based multivariate analysis, *J Cereb Blood Flow Metab* 26(9):1213-1221.
- Matioli, M.N. & Caramelli, P. (2010). Limitations in differentiating vascular dementia from Alzheimer's disease with brief cognitive tests, *Arq Neuropsiquiatr* 68(2):185-188.
- Pennisi, G., Ferri, R., Cantone, M., et al. (2011). A review of transcranial magnetic stimulation in vascular dementia, *Dement Geriatr Cogn Disord* 31(1):71-80.
- Schuff, N., Matsumoto, S., Kmiecik, J., et al. (2009). Cerebral blood flow in ischemic vascular dementia and Alzheimer's disease, measured by arterial spin-labeling magnetic resonance imaging, *Alzheimer's Dement* 5(6):454-462.
- Selnes, O.A. & Vinters, H.V. (2006). Vascular cognitive impairment, *Nat clin pract neurol* 2(10):538-547.
- Traynor, B.BJ. & Singleton, A.B. (2010). Nature versus nurture: death of a dogma, and the road ahead, *Neuron* 68(2):196-200.
- Zglinicki, T.V.V.S., Lorenz, M., Saretzki, G., et al. (2000). Short telomeres in patients with vascular dementia: an indicator of low antioxidative capacity and a possible risk factor? *Lab Invest* 80(11):1739-1747.
- Zhang, j. (2010). *Professor Zhangji's clinical experience of treatment with syndrome differentiation on stubborn diseases*, People medical publishing house, Beijing, China, pp.359-366.
- Ho, Y.S., So, K.F., Chang, R.C. (2011). Drug discovery from Chinese medicine against neurodegeneration in Alzheimer's and vascular dementia, *Chin Med* 6(1):15.

Acupuncture - Clinical Practice, Particular Techniques and Special Issues

Edited by Prof. Marcelo Saad

ISBN 978-953-307-630-0

Hard cover, 138 pages

Publisher InTech

Published online 06, September, 2011

Published in print edition September, 2011

Acupuncture is growing in popularity world-wide. Acupuncture and related techniques are useful tools for treating a spectrum of diseases. However, there are still many areas of controversy connected to it due to the fact that mechanisms of action of acupuncture are not entirely clear. Another debilitating element is the absence of a convincing model of sham acupuncture for a control group in clinical trials. Therefore, there are still inappropriate prejudice and unfamiliarity regarding acupuncture. I hope this book can contribute to guide the advance of this ancient medical art. The reader will here find texts wrote by authors from different parts of the world. The chapters cover strategic areas to collaborate with the consolidation of the knowledge in acupuncture. The main objective is to share elements to make acupuncture more and better offered at health systems worldwide.

How to reference

In order to correctly reference this scholarly work, feel free to copy and paste the following:

Liangdeng Zhang, Jie Wang, Kuiwu Yao and Ji Zhang (2011). The Treatment of Vascular Dementia in Acupuncture Based on Syndromes Differentiation, *Acupuncture - Clinical Practice, Particular Techniques and Special Issues*, Prof. Marcelo Saad (Ed.), ISBN: 978-953-307-630-0, InTech, Available from: <http://www.intechopen.com/books/acupuncture-clinical-practice-particular-techniques-and-special-issues/the-treatment-of-vascular-dementia-in-acupuncture-based-on-syndromes-differentiation>

INTech

open science | open minds

InTech Europe

University Campus STeP Ri
Slavka Krautzeka 83/A
51000 Rijeka, Croatia
Phone: +385 (51) 770 447
Fax: +385 (51) 686 166
www.intechopen.com

InTech China

Unit 405, Office Block, Hotel Equatorial Shanghai
No.65, Yan An Road (West), Shanghai, 200040, China
中国上海市延安西路65号上海国际贵都大饭店办公楼405单元
Phone: +86-21-62489820
Fax: +86-21-62489821

© 2011 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike-3.0 License](#), which permits use, distribution and reproduction for non-commercial purposes, provided the original is properly cited and derivative works building on this content are distributed under the same license.