

Chapter 8

Conclusions and Future Work

From the analysis carried out in this report is clear that it is possible the energy transmission from the offshore wind farms via AC transmission within some rated power and rated voltage boundaries.

To focus the analysis in a specific case, there is analyzed the transmission of the 150 MW at 150kV to 50Km to the shore. In this way, upon this configuration several key issues of the AC transmission systems are analyzed.

Firstly, there are analyzed submarine cables, the way to represent electrically submarine cables and several options to model the cable.

Once the submarine cable has been modeled and validated. The first key issue to analyze is the management of the reactive power flowing through the submarine cable. This analysis shows that a proper reactive power management can reduce significantly the active power losses and the voltage drop in the submarine cable. Furthermore, different ways to achieve this reactive power management are compared, such as the use of fixed inductances at both ends of the line.

So, comparing the reactive power management based on fixed inductances at both ends of the line, with the variable compensation at both ends. It is possible to see that the both methods have similar improvements. For both ways, the maximum voltage drop, the maximum active power losses and the required maximum current for the cable are exactly the same. As a result is achieved as a conclusion that the fixed inductances at both ends are the best option to manage the reactive power through the submarine cable.

Another key issue of the AC transmission configurations is the undesired harmonic amplifications due to the resonances of the system. Thus, using the developed offshore wind farm model as the base scenario, the analysis of its frequency response is carried out. Estimating the resonances of the system and measuring the influence of the main components of the transmission system in its frequency response.

From the results of this study, it is possible to observe that the offshore wind farms have the potential to amplify low order harmonics due to the iteration between the capacitive component of the submarine cable and the leakage inductance of the step-up transformer.

At this point, highlight that the present analysis as a first approximation does not take into account the effect of the control strategies of the wind turbines. There are not considered control strategies oriented to mitigate filters avoiding the resonance, and neither is considered further and more complex analysis about the harmonic risk or problems related to the iteration between the control strategies of the wind turbines

As any other installation, offshore wind farms must be protected against different eventualities. Moreover, the behavior of these types of generation plants during any eventuality, which causes a voltage drop at the point of common coupling (PCC), is crucial to ensure the quality and the continuity of the electric supply. Therefore, if this kind of generation systems wants to connect to the distribution grid, they have to satisfy the grid code requirements of the system operator (SO).

In conclusion, it is not enough the normal operation analysis to carry out the pre-design of an offshore wind farms electric system. Therefore, to complete the analysis of the AC transmission configurations, an analysis about the disturbances in the electric connection infrastructure and their effects is carried out.

The analysis performed reveals that the switching actions in the electric connection infrastructure have the potential to cause over current and over voltages. The cause of those transient over currents and voltages is the composition of the electric connection infrastructure itself.

In addition to inductive elements, the electric connection infrastructure of the offshore wind farm has huge capacitive elements, such as the transmission submarine cable or the inter-turbine cable.

In the same way, faults or dips at the PCC, which provokes the de-energizing and energizing of the submarine cable also causes dangerous transient over-voltages. Due to this fact, the power electronic devices of the offshore wind farm must be provided with the proper over-voltages protection system.

Another point evaluated in this book is the behavior of the offshore wind farm upon voltage dips at the PCC, from the point of view of the REE grid code requirements.

As one of the most important requirement, the reactive power injection to the main grid during voltage dips in the PCC is analyzed. The submarine cable generates a huge amount of capacitive reactive power in normal operation. Nevertheless, if the voltage applied to the cable drops, the submarine cable can generate inductive reactive power.

As a result, the submarine cable does not help injecting capacitive reactive power during voltage dips at the PCC. Moreover, as the cable can generate inductive reactive power, the offshore wind farm or its auxiliary equipment have to be dimensioned to inject at the PCC the required capacitive reactive power plus compensate the inductive reactive power generated at the cable.

In this way, the huge amount of inductive reactive power generated in the transmission system makes unattractive the use of a STATCOM to inject the main amount of reactive power during voltage dips.

However, full-converter wind turbines can be very helpful to fulfill the grid code requirements at the PCC. But, due to the fact that the wind turbines are located far away from the PCC, their reactive current injection characteristics for voltage dips have to be adjusted.

Therefore, the proposed solution prioritizes the use of the grid side converters of the wind turbines to reduce active power and inject the biggest part of the required reactive power and the STATCOM only as auxiliary equipment.

Note that the objective of the present book is the development of a methodology or a sequence of analyses, to make the first approach to the design of the offshore wind farms electric connection infrastructure. In other words, the objective is the identification of the problematic aspects of the energy transmission and grid integration by applying the sequence of analyses.

As a result, the present book does not define in detail several advanced design features or technological aspects. Thus, a more deep analysis of the identified problematic aspects is needed to design an advanced or detailed electric connection infrastructure.

In this way, from the analyses carried out, it is seen that the protection system of the converters has to be evaluated more carefully. Due to the fact that the breakers operations or voltage dips at the PCC can cause dangerous voltage peaks for them in the offshore wind farms transmission system.

Finally, this research is based on a specific case which is intended to be representative. So, the proposed solution has been dimensioned to fulfill REE grid code requirements. Consequently, as there are many other system operators and grid codes, the adaptation of the proposed solution to other grid codes will give consistency to this solution. In the same way, further analyses for other specific cases (other rated powers and lengths to shore) will complete this evaluation.

References

- [1] "Europe's onshore and offshore wind energy potential - An assessment of environmental and economic constraints," European environmental agency, 2009.
- [2] "Wind in power, 2010 european statistics," EWEA, 2011.
- [3] "Oceans of opportunity, Harnessing Europe's largest domestic energy resource," EWEA, 2009.
- [4] "Pure power, Wind Energy Scenarios up to 2030," European Wind Energy Association, 2008.
- [5] "Offshore Wind Energy: Action needed to deliver on the Energy Policy Objectives for 2020 and beyond," Commission of European communities, Brussels, 2008.
- [6] European Commision.
http://ec.europa.eu/energy/electricity/package_2007/index_en.htm
- [7] European Commision. http://ec.europa.eu/energy/climate_actions/index_en.htm
- [8] Bureau de coordination energies renouvelables. http://www.wind-eole.com/fileadmin/user_upload/Downloads/Offshore/European_Offshore_Wind_Map_2009.pdf
- [9] S. Chondrogiannis, M. Barnes, "Technologies for integrating wind farms to the grid (Intering report)", DTI, 2006.
- [10] R. Ianini, J. Gonzalez, S. Mastrangelo, "Energía eólica, teoría y características de instalaciones," Boletín energético N°13, 2005.
- [11] G.Jimenez, "Identificación de sitios eólicos," IV foro regional: Energía eólica y otras renovables en el futuro, 2004
- [12] J. Moragues, A. rapallini, "Energía eólica," Instituto argentino de la energía, 2003
- [13] "European wind atlas," Risø National Laboratory, 1989
- [14] The Danish Wind Industry Association (DWIA). <http://guidedtour.windpower.org>
- [15] J. Manuel Ruiz, "Energía eólica," Seminario de energías renovables, 2005.
- [16] A. Perez, "Energía eólica," Universidad de Valladolid
- [17] J.M. Escudero, "Manual de energía eólica," Ediciones mundi-prensa, 2008
- [18] "Large scale integration of wind energy: analisis, issues and recommendations" EWEA 2005
- [19] N. Jenkins, "Network integration and modeling of large wind turbines," CIRED, 2007
- [20] A. Herrera, "Energía eólica marina," Jornadas de energía renovable marina, 2009
- [21] "Energía Eólica," IDEA 2006
- [22] Windatlas. <http://www.windatlas.dk/Europe/About.html>
- [23] "The European offshore wind industry key trends and statistics 2009," EWEA, 2010
- [24] F. Zimmermann, K. Biebler, "UK Offshore Wind Supply Chain Seminar," Copenhagen, September, 2009
- [25] L.H. Kocewiak, C.L. Bak, J. Hjerrild, "Harmonic aspects of offshore wind farms," Seminar on Detailed Modelling and Validation of Electrical Components and Systems Denmark, February 2010
- [26] Å. Larsson, A. Petersson, N. Ullah, Ola Carlson, "Krieger's Flak Wind Farm", Nordic wind power conference, May 2006
- [27] W. Grainger, N. Jenkins, "Offshore Wind farm Electrical Conection Options," 1998


- [28] S.D. Wright, A.L. Rogers, J.F. Manwell, A. Ellis, "Transmission options for offshore wind farms in the united states," AWEA 2002
- [29] "Wind turbine Grid connection and Interaction," Deutsches Windenergie-Institut, 2001
- [30] L. Hojbjerg Nielsen, "Grid development and integration", Energinet. 2007
- [31] T. Ackermann, "Transmission System for Off-shore Wind Farms", KTH.
- [32] S. Bozhko, R. Blasco, R. Li, J.C. Clare, G.M. Asher, "Control of Off-shore DFIG-Based Wind Farm Grid With Line-Commutated HVDC Connection," *IEEE Trans. On Energy Conv.* 2007.
- [33] S. Lundberg, "Evaluation of wind farm layouts," *EPE Journal (European Power Electronics and Drives Journal)*, vol. 16, pp. 14-20, 2006.
- [34] J. Green, A. Bowen, L.J. Fingersh, and Y. Wan, "Electrical Collection and Transmission Systems for Offshore Wind Power," NREL 2007.
- [35] N. Barberis Negra, J. Todorovic, T. Ackermann, "Loss evaluation of HVAC and HVDC transmission solutions for large offshore wind farms" *Science direct Electric Power Systems Research* 76 (2006) 916-927
- [36] S. Meier, "Novel Voltage Source Converter Based HVDC Transmission System for Offshore Wind Farms," Royal Institute of Technology, 2005.
- [37] "Offshore wind energy grid connections," ABB 2003.
- [38] P. D. Hopewell, F. Castro-Sayas, and D. I. Bailey, "Optimising the Design of Offshore Wind Farm Collection Networks," in *Universities Power Engineering Conference, 2006. UPEC '06. Proceedings of the 41st International*, 2006, pp. 84-88.
- [39] S. Alepuz, S. Busquets-Monge, J. Bordonau, J.A. Martinez-Velasco, C.A. Silva, J. Pontt and J. Rodriguez, "Control strategies based on symmetrical components for grid connected converters under voltage dips," *IEEE Transactions on Industrial Electronics*, Vol: 56 Issue: 6, pp. 2162 - 2173, 2009
- [40] L.Nian, "Transients in the Collection Grid of a novel Wind Farm Topology," Msc Thesis, KTH, Sweden, April, 2009
- [41] P. Gadner, L.M. Craig, G.J. Smith, "Electrical Systems for offshore wind farms," Garrad Hassan & partners, UK 2006
- [42] W.A. Thue, "Electrical power cable engineering," Marccel Dekker, 2003
- [43] B.M. Weedy, "Sistemas electronicos de gran potencia," Editorial Reverte, 1981
- [44] J.L. Jimenez , N.A. quino, I. Campos, "Entendiendo la autoinductancia," *Contactos* 64, pp. 59-63, 2007
- [45] ABB, "XLPE cable systems, user's guide," rev 2
- [46] L.C. Cisneros, "Cálculo de parámetros y operación en estado estacionario de líneas de transmisión," Modelado y operación de líneas de transmisión, ITM.
- [47] B.M. Weedy, B.J. Cory, "Electric power systems," Wiley, 1998
- [48] Y.L. Jiang, "matematical modelling on RLGC transmission lines," Xi'an Jiantong University, 2005
- [49] M.C.M. Sánchez, "Medida de párametros de ruido de dispositivos activos, basadoo en fuente adaptada," Ph. D Thesis, UPC, 2003
- [50] L.H-Restrepo, G.Caicedo delgado, F. Castro-Aranda, "Modelos de línea de transmisión para transitorios electromagnéticos en sistemas de potencia," *Revista Energía y computación* Vol 16 No 1 2008 p.21-32
- [51] "Transients in power Systems," ECE524, Seasson 18, 2008

- [52] L. H. Restrepo, "Modelos de línea de transmisión para transitorios electromagnéticos en sistemas de potencia," Trabajo de Grado en Ingeniería Eléctrica, Universidad del Valle, Cali-Colombia, 2008.
- [53] "Guidelines for representation of network elements when calculating transients," CIGRE Working Group, 1990.
- [54] M. Khatir, S.Zidi, S.Hadjeri, M.K. Fellah, "Comparison of HVDC line models in PSB/SIMULINK based on steady-state and transients considerations," *Acta Electrotechnica et Informatica* Vol. 8, No 2, 2008, 50-55.
- [55] "The Bergeron Method, A Graphic Method for Determining Line Reflections in Transient Phenomena," Texas instruments, 1996.
- [56] M.H.J. Bollen, G.A.P Jacobs, "Implementation of an algorithm for traveling-wave-based directionat detection," Eindhoven university of technology, 1989.
- [57] A. M.Elhaffar, "Power transmission line fault location based on current traveling waves," TKK Dissertations, 2008
- [58] J. Arrillaga, L.I. Eguiluz, "Armónicos en sistemas de potencia," servicio de publicaciones de la universidad de Cantabria, 1994
- [59] J. Marti, "Accurate Modeling of frequency dependent transmission lines in electromagnetic transients simulation," *IEEE transactions on power apparatus and systems*, 1982
- [60] C. Dufour, W. Le-Huy, "Highly Accurate modeling of frequency-dependent balanced transmission lines," *IEEE Trans. on Power Delivery*, vol. 15, No. 2, pp. 610-615, April, 2000
- [61] F. Castellanos, J. R. Marti, F. Marcano, "Phase-domain multiphase transmission line models," *International Journal of Electrical Power & Energy Systems, Elsevier Science Ltd.* vol. 19, No. 4, pp. 241-248, May, 1997.
- [62] F. Marcano, "Modeling of transmission lines using idempotent decomposition," MASc. Thesis, Department of Electrical Engineering, The University of British Columbia, Vancouver, Canada, August, 1996
- [63] B. Gustavsen, G. Irwin, R. Mangelrod, D.Brandt, K. Kent, "transmission line models for the simulation of interaction phenomena between parallel AC and DC overhead lines," *IPST 99 Proceedings*, pp. 61-67, 1999
- [64] PSCAD, "User's guide," 2003.
- [65] L. Nian, "Transients in the Collection Grid of a novel Wind Farm Topology," KTH Master of Science Thesis, 2009
- [66] S. Meier, "System Aspects and Modulation Strategies of an HVDC-based Converter System for Wind Farms," Ph. D. thesis, KTH Stockholm, 2009, ISBN 978-91-7415-292-0.
- [67] S. Lundberg, "Wind farm configuration and energy efficiency studies series DC versus AC layouts," Thesis, Chalmers University of Technology 2006.
- [68] L. P. Lazaridis, "Economic comparison of HVAC and HVDC solutions for large offshore wind farms under special consideration of reliability," Msc. Thesis, KTH, 2005.
- [69] S.D. Wright, A.L. Rogers, J.F. Manwell, A. Ellis, "Transmision options for offshore wind farms in the united states," AWEA 2002
- [70] P. Gardner, L.M. Craig and G.J. Smith, "Electrical Systems for offshore wind farms," BWEA wind energy, 1998.
- [71] P. Djapic, G. Strbac, "Further análisis for design of offshore infrastructure," Centre for Sustainable Electricity and distributed generation 2008

- [72] S. Lundberg, "Evaluation of wind farm layouts," *EPE Journal (European Power Electronics and Drives Journal)*, vol. 16, pp. 14-20, 2006.
- [73] R. Svoma, M. Dickinson, C. Brown, "Subsea connections to high capacity offshore windfarms: Issues to consider," CIREN 2007
- [74] "BWEA Briefing Sheet: Offshore Wind," British wind energy association 2005
- [75] BVG Associates, "UK Offshore Wind: Moving up a gear," British wind energy association 2007
- [76] "Gamesa G128-4.5MW," Gamesa, February 2010
- [77] Vestas. <http://www.vestas.com/en/wind-power-plants/procurement/turbine-overview/v112-3.0-mw-offshore.aspx#/vestas-univers>
- [78] Repower. <http://www.windpowerengineering.com/tag/repower/>
- [79] M. Robinson, W. Musial, "Offshore wind technology overview," NREL/PR-500-40462, 2006
- [80] P. Maibach, A. Faulstich, M. Eichler and S. Dewar, "Full-Scale Medium-Voltage Converters for Wind Power Generators up to 7 MVA," ABB, 2007
- [81] "Ingedrive MV 300, Frequency converter data sheet," Ingeteam 2011
- [82] A. Tenenge, D. Roye, S. Bacha, J. Duval, "Low voltage ride-through capabilities of wind plant combining different turbine technologies," EWEC, 2009.
- [83] R. Mittal, K. S. Sandhu and D. K. Jain, "Low voltage ride through (LVRT) of grid interfaced wind driven PMSG," *Asian Research Publishing Network*, vol. 4, No. 5, July 2009
- [84] S. Alepuz, S. Busquets-Monge, J. Bordonau, J. Gago, D. Gonzalez and J. Balcells, "Interfacing Renewable Energy Sources to the Utility Grid Using a Three-Level Inverter," *IEEE Transactions on Industrial Electronics*, v 53, n 5, 1504-11, Oct. 2006
- [85] R.C. Portillo, M.M. Prats, J.I. Leon, J.A. Sanchez, J.M. Carrasco, E. Galvan and L.G. Franquelo, "Modeling Strategy for Back-to-Back Three-Level Converters Applied to High-Power Wind Turbines," *IEEE Transactions on Industrial Electronics*, vol 53, no 5, 1483-91, Oct. 2006
- [86] P. Kundur, "Power system stability and control," McGraw Hill professional, 1994
- [87] "IEEE Guide for planning DC links terminating at AC location having low short-circuit capacities," IEEE Std 1204-1997, 1997
- [88] M. Chinchilla, S. Arnaltes and J.C. Burgos, "Control of Permanent-Magnet Generators Applied to Variable-Speed Wind-Energy Systems Connected to the Grid," *IEEE Transactions on Energy Conversion*, v 21, n 1, 130-5, March 2006
- [89] "Grid Code, High and extra high voltage," E.ON Netz GmbH, April 2006
- [90] F. Blaabjerg, R. Teodorescu, M. Liserre, and A.V. Timbus, "Overview of Control and Grid Synchronization for Distributed Power Generation Systems," *IEEE Transactions on industrial electronics*, vol. 53, No. 5, October 2006
- [91] A.V. Timbus, R. Teodorescu, F. Blaabjerg and M. Liserre "Synchronization Methods for Three Phase Distributed Power Generation Systems. An Overview and Evaluation," *IEEE 36th Power Electronic Specialists Conference*, 2005
- [92] A. Milicua, S. Piasecki, M. Bobrowska, K. Rafa, and G. Abad, "Coordinated control for grid connected power electronic converters under the presence of voltage dips and harmonics," in 2009 13th European Conference on Power Electronics and Applications, EPE '09, September 8, 2009 - September 10, 2009, Barcelona, Spain, 2009.

- [93] S. Hong-Seok and N. Kwanghee, "Dual current control scheme for PWM converter under unbalanced input voltage conditions," *IEEE Transactions on Industrial Electronics*, vol. 46, pp. 953-9, 1999.
- [94] L.G.B. Rolim, R.D. da Costa, and M. Aredes, "Analysis and Software Implementation of a Robust Synchronizing PLL Circuit Based on the pq Theory," *IEEE Transactions on Industrial Electronics*, vol 53, No 6, 1919-26, Dec. 2006
- [95] S. V. Araújo, A. Engler, B. Sahan and F. L. M. Antunes, "LCL Filter design for grid-connected NPC inverters in offshore wind turbines," *International Conference on Power Electronics*, Daegu, Korea, 2007
- [96] P. Chandrasekhar and S. Rama Reddy, "Design of LCL Resonant Converter for Electrolyser," *International Journal of Electronic Engineering Research*, vol 2, No 3, pp.435-444, 2010
- [97] I.Martinez de Alegria, J.L.Villate, J. Andreu, I.Gabiola and P.Ibañez, "Grid connection of doubly feed induction generator wind turbines: a survey," *EWEC*, 2004.
- [98] I. M. de Alegria, J. Andreu, J. L. Martí, P. Ibañez, J. L. Villate and H.Camblong, "Connection requirements for wind farms: A survey on technical requirements and regulation," *Elsevier, Renewable and Sustainable Energy Reviews*, vol 11, no 8, pp. 1858-1872, 2007
- [99] "Voltage and Transient Stability Support by Wind Farms Complying With the E.ON Netz Grid Code," *IEEE transactions on power systems*, vol. 22, No. 4, November 2007 1647
- [100] "Requisitos de respuesta frente a huecos de tensión de las instalaciones eólicas," *REE Procedimiento de operación 12.3*, May, 2007
- [101] "Procedimiento de verificación, validación y certificación de los requisitos del PO 12.3 sobre la respuesta de las instalaciones eólicas ante huecos de tensión," v.3, *REE*, 2007
- [102] Stephen J. Chapman, "Máquinas eléctricas", *Mc Graw Hill*, 4th edition, 2004, ISBN 970-10-4947-0.
- [103] R. L. García, "Desarrollo y validación de modelos de transformadores monofásicos y trifásicos con saturación, para el análisis de armónicos en sistemas de potencia," *Ph. D. Thesis, Universidad politécnica de Cataluña*, 2000
- [104] A. Pigazo, "Método de control de filtros activos de potencia paralelo tolerante a perturbaciones de la tensión de red", *Ph. D. Thesis, Universidad de Cantabria*, 2004
- [105] *Monografías*. <http://www.monografias.com/trabajos21/armonicos/armonicos.shtml>
- [106] J. A. González, "Compensación de potencia Reactiva en Sistemas Contaminados con Armónicos," *Msc Tesis Universidad Central de las Villas*, 1998.
- [107] "Información Técnica, Generalidades sobre Armónicos," *Schneider Electric*, 1998.
- [108] W.Breuer, N.Christl, "Grid Access Solutions Interconnecting Large Bulk Power On- / Offshore Wind Park Installations to the Power Grid," *GWREF*, 2006.
- [109] J. Plotkin, U. Schaefer, R. E. Hanitsch, "Resonance in the AC Connected Offshore Wind Farms," *WECS*, 2008.
- [110] P. Brogan, "The stability of multiple, high power, active front end voltage sourced converters when connected to wind farm collector systems," *Siemens wind power*, 2011.
- [111] M. Lamich, "Filtros Activos de Potencia," *Universitat Polotecnica de catalunya*.

- [112] L. Yao, "Experience on Technical Solutions for Grid Integration of Offshore Wind farms," DTI Conference Centre, London 2007.
- [113] L. Van Der Sluis, "Transients in power systems," John Wiley & Sons Ltd, 2001
- [114] ABB Power T&D inc, "Electrical transmission and distribution reference book," fifth edition, 1997
- [115] ABB, "Live Tank Circuit Breakers, Application Guide," 2009
- [116] R.W. Alexander, D. Dufournet, "Transient recovery voltage (TRV) for high voltage circuit breakers" tutorial, PES
- [117] R.G. Garzon, "High voltage circuit breakers, designed and applications," Second Edition, Marcel Dekker, 2002
- [118] S. G. Johansson, L. Liljestr nd, F. Krogh, J. Karlstrand, and J. Hanson, "AC cable solutions for offshore Wind energy," ABB
- [119] C.A. Plet, M. Graovac, T.C. Green and R. Iravani, "Fault response of Grid connected inverter dominated networks," Power and Energy Society General Meeting, Minneapolis, 2010
- [120] L. H. Kocewiak, J. Hjerrild and C. Leth Bak, "Wind farm structures impact on harmonic emission and grid interaction," European Wind Energy Conference, Warsaw, 2010
- [121] A. Mazur, I. Kerszenbaum, and J. Frank, "Maximum insulation stresses under transient voltages in the HV barrel-type winding of distribution and power transformers," IEEE Transactions on Industry Applications, vol. 24, pp. 427-33, 1988.
- [122] W. Sweet, "Danish wind turbines take unfortunate turn," IEEE Spectrum, vol. 41, pp. 30, 34, 2004.
- [123] T. Abdulahovic, "Analysis of High-Frequency Electrical Transients in Oshore Wind Parks," Licentiate of engineering, Chalmers university of technology, G teborg, Sweden, 2009.
- [124] CIGRE working group A2-A3-B3.21, "Electrical Environment of Transformers; Impact of fast transients," ELECTRA, 2005.
- [125] R.G. Farner, A.L. Schwalb and E. Katz, "Navajo proyect report on subsynchronous resonance: analysis and solution," *IEEE Transactions on Power Apparatus and Systems*, vol 96, , No 1, pp. 1226-1232, 1997
- [126] F. M. Faria da Silva, "Study of high voltage AC underground cables," Ph. D. Thesis, Aalborg University, 2011
- [127] "Electrical Transmission and Distribution Reference Book," Westinghouse Electric Corporation; 4th edition, 1964
- [128] I.A. Erimez and A.M. Foss, "static synchronous compensator (STATCOM)," Working group 14.19, CIGRE, 2000
- [129] "Specifications for Connecting Wind Farms to the Transmission Network," ELTRA Transmission system Planning, April 2000
- [130] "Wind Farm Power Station Grid Code Provisions," ESB National Grid, July, 2004
- [131] "National Electricity Rules Version 24," Australian energy market comisi n, January, 2009
- [132] "The grid code," Revision 32, National Grid Electricity Transmission plc, December, 2008



Energy Transmission and Grid Integration of AC Offshore Wind Farms

Edited by MSc Markel Zubiaga

ISBN 978-953-51-0368-4

Hard cover, 248 pages

Publisher InTech

Published online 21, March, 2012

Published in print edition March, 2012

This book analyses the key issues of the offshore wind farm's energy transmission and grid integration infrastructure. But, for this purpose, there are not evaluated all the electric configurations. In the present book is deeply evaluated a representative case. This representative case is built starting from three generic characteristics of an offshore wind farm: the rated power, the distance to shore and the average wind speed of the location. Thus, after a brief description of concepts related to wind power and several subsea cable modeling options, an offshore wind farm is modeled and its parameters defined to use as a base case. Upon this base case, several analyses of the key aspects of the connection infrastructure are performed. The first aspect to analyze is the management of the reactive power flowing through the submarine cable. Then, the undesired harmonic amplifications in the offshore wind farms due to the resonances and after this, transient over-voltage problems in the electric infrastructure are characterized. Finally, an offshore wind farm connection infrastructure is proposed in order to achieve the grid code requirements for a specific system operator, but not as a close solution, as a result of a methodology based on analyses and simulations to define the most suitable layout depending on the size and location of each offshore wind farm.

How to reference

In order to correctly reference this scholarly work, feel free to copy and paste the following:

Markel Zubiaga (2012). Conclusions and Future Work, Energy Transmission and Grid Integration of AC Offshore Wind Farms, MSc Markel Zubiaga (Ed.), ISBN: 978-953-51-0368-4, InTech, Available from: <http://www.intechopen.com/books/energy-transmission-and-grid-integration-of-ac-offshore-wind-farms/conclusions-and-future-work>

INTECH
open science | open minds

InTech Europe

University Campus STeP Ri
Slavka Krautzeka 83/A
51000 Rijeka, Croatia
Phone: +385 (51) 770 447
Fax: +385 (51) 686 166
www.intechopen.com

InTech China

Unit 405, Office Block, Hotel Equatorial Shanghai
No.65, Yan An Road (West), Shanghai, 200040, China
中国上海市延安西路65号上海国际贵都大饭店办公楼405单元
Phone: +86-21-62489820
Fax: +86-21-62489821

© 2012 The Author(s). Licensee IntechOpen. This is an open access article distributed under the terms of the [Creative Commons Attribution 3.0 License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.