Crosby Arboretum (Picayune, Mississippi): A Natural World for All

Banu Ozturk Kurtaslan and Robert Brzuszek

Additional information is available at the end of the chapter

<http://dx.doi.org/10.5772/55815>

"At the Crosby Arboretum, Picayune, Mississippi, I listened for and found my voice..."

Edward L. Blake Jr.

1. Introduction

Arboretums are living plant museums where mainly the taxa of trees and other wood-like plants of known origin and age, each of which are gathered in a correct and careful manner for the purposes of scientific research and observation, are cultivated, exhibited and introduced in suitable selected habitats [1].

Arboretums are garden abstractions for interpreting the natural landscape. These gardens offer biological and ecological diversity of collections, serve as conservation of soil, water and biological resources, demonstration of environmentally responsible landscape design, and restoration of degraded landscapes.

Being of vital importance for the protection of the nature in the present day urban life, arboretums at the same time have important roles in terms of esthetical and recreational aspects. In addition to providing scientific data regarding plants, arboretums also assume the function of presenting their natural beauties, esthetical qualities (size, form, texture, line and color characteristics) and introducing rich species of plants [2].

The functions of arboretums, whose formation on the earth dates back centuries ago, shows variety. These functions are giving information to all the students from elementary and secondary education to the university level and to the local community primarily about wood-like plants and secondly if they desire, about herbaceous plants, introducing these plants in their habitats and contributing to the development of a consciousness of protecting the environment. Besides, other functions of arboretums can be listed as introducing the natural, endemic and exotic plants from all corners of the world without having to go on

long and expensive trips through gathering them as climate allows, giving people the opportunity to select the plants with esthetical value, taking endangered species under preservation, conducting studies on the adaptation of the species of foreign origin to the country. Furthermore, the functions of special-purpose arboretums will certainly be different. Arboretums that are organized to maintain the cultivation of a limited number of species can be given as an example to such places [3].

In the beginning, botanical gardens and arboretums were generally created for the introduction and production of newly discovered plants. Big botanical gardens, such as Arnold Arboretum or Kew Botanical Garden in London, collect plant species from all around the world and maintain the affluence of these species by developing and reproducing them. In recent times, this function has become of secondary importance. This is because the number of newly discovered plants is not as much as it was in the 19th century. However, there are still travels for discovering new species [4].

The functions of arboretums can be summarized as follows:

- They maintain the physical balance of the city. They create buffer areas in cities by eliminating the disharmonies and mutual negative effects among different areas of use such as housing, commerce and industry,
- They have positive effects on human psychology through providing an opportunity for recreation,
- They are the oxygen sources of cities,
- They bring in positive microclimatic characteristics to the city. Wide green areas considerably improve the air circulation in cities, provide clean air to the city and they are effective in increasing atmospheric moisture. It was determined that the temperature in open and green areas was 6.5 degrees cooler in winter and 10 degrees cooler in summer compared to the temperature in the city. Green areas humidify the air through transpiration, thus the dust in the humid air either settles as suspended particles or are taken away through the wind [4].

It is a necessity that arboretums are planned and designed through an ecological approach in order that they can perform their assumed ecological functions. In landscape architecture, "ecological design" is one of the significant application of sustainability. According to Van der Ryn and Cowan (1996) ecological design is "any form of design that minimizes environmentally destructive impacts by integrating itself with living processes." Ecological design can apply to many design systems such as architecture, agriculture, engineering and many other fields. In the scope of this chapter, which is about an arboretum, ecological design is an important concept in terms of "sustainable landscape design" [5] [6] [7].

In the XIX century ecological awareness was reflected to modern urban landscape design and planning by theorists and practitioners. For instance Frederic Law Olmsted produced projects such as Central Park (New York), Emerald Necklace (Boston) and other national parks, and was a pioneer of landscape architecture. This ecological sensitivity continued with Jens Jensen, Ian Mc Harg, Anne Winston Spirn and Michael Hough [8] [9].

An example of early ecological design and planning, “Crosby Arboretum is one of the substantial ecological design works in terms of contributions on the urban/nature context and the development of natural settings in cities. It was established in 1978 as a living memorial to L.O. Crosby Jr., a prominent Mississippi timber owner and philanthropist. The idea of his immediate family was to create an arboretum and form a board of directors to fully explore the concept of ecological design. The Crosby family donated a 26-ha (64-acre) site on which to establish the arboretum. The primarily wetland site was formerly a working strawberry farm in the 1940s, complete with drainage ditches and old farm roads, that had been converted to a pine plantation shortly thereafter “ [10].

The arboretum purchased and leased nearby lands containing pristine examples of local native plant communities, realizing that nearby natural plant communities would become important research models for the exhibit design of the arboretum, as well as to fulfill the preservation aspect of their mission statement. So it was designed by abstracting the natural habitats of plants and animals, within the Pearl River Basin. The Pearl River is a 444-mile long major watershed in west Mississippi that Arboretum lands lie within. Each exhibit illustrates a combination of past human influences and natural succession that reveals the drama and beauty of the regional flora. During a 10-y period, 11 sites comprising more than 685 ha (1700 ac) would become the satellite natural areas of the arboretum, and they were systematically inventoried by biologists. Detailed topographical surveys were conducted on the mostly flat site, and subtle moisture gradients and drainage areas were recorded [10].

The mission of the arboretum is preserving, protecting, and displaying plants native to the Pearl River Drainage Basin ecosystem, providing environmental and botanical research opportunities, and offering cultural, scientific, and recreational programs [11].

The Crosby Arboretum is a not-for-profit institution dedicated to educating the public about their environment by:

- Preserving, protecting, and displaying plants native to the Pearl River Drainage Basin in Mississippi and Louisiana
- Providing environmental and horticultural research opportunities
- Offering cultural, educational, scientific, and recreational programs

(<http://www.crosbyarboretum.msstate.edu/pages/mission.php>)

The arboretum located in Picayune, Mississippi is administered by the Mississippi State University Extension (Figure 1). These lands provides habitats for 300 native plant species and animals, some of which are endangered or threatened.

With increasing value being placed on our natural heritage, The Crosby Arboretum is the premier native plant conservatory in the southeast United States. The Arboretum has expanded to become a resource for education in the region and the world. Today, it provides for the protection of the region's biological diversity and also a place for the public's enjoyment of plant species native to the Pearl River Drainage Basin of south-central Mississippi and Louisiana. People can study and learn about plants and plant products so that they may use them to their best advantage and ensure their continuous propagation in

Figure 1. Location of the Crosby Arboretum.

the future. Aesthetic, agricultural, scientific, and industrial contributions of native plant species and ecosystems can be examined in a real-life setting at the Arboretum.

The arboretum has a 104-acre Native Plant Center and it serves as the focus of Arboretum activities and development. The Pinecote Pavilion and the Piney Woods Lake at the arboretum display native water plants in their natural setting. The Pinecote Pavilion and the many wooden bridges that complement the lake were designed by award-winning architect Fay Jones, of Fayetteville, Arkansas to enhance the artistic and functional aspects of the Arboretum.

(<http://www.crosbyarboretum.msstate.edu/pages/about.php>)

The Crosby Aboretum has 6000 visitors annually. Pinecote, the name of the Arboretum site, was designed to weave the activities and needs of human into an evolving living mosaic of “woodland, aquatic and pine savanna” habitats. This 64 acre former strawberry farm and pine plantation is being transformed to display and interpret the native plant communities found in our natural areas.

The Crosby Arboretum Master Plan was completed in 1994. The Schematic Master Plan outlined the following design principles to the Arboretum's Interpretive Center (Pinecote) site development:

- Displaying habitats as well as flora
- Creating displays that enhance the character of the native landscape
- Fostering a sense of place appropriate to the Piney Woods region of Mississippi
- Interpreting how perceptions of landscape by industry, agriculture, and forestry have resulted in changes in landscape appearance and land use patterns
- Developing a holistic approach to interpreting what we see
- Encouraging a synthesis to develop between the arts, sciences, and humanities
- Focusing on doing a few things well and emphasizing quality
- Interpreting the role of fire as a major determinant of landscape form
- Displaying the arboretum landscape as a process rather than product

Andropogon Associates Ltd articulated the design at Pinecote as "a new synthesis of the artistic values of drama and beauty, with the scientific values of correct relationships between plant and plant and plant and place. This design is based on 3 premises:

1. The Pinecote site will be treated as an entire coherent unit.
2. The site design at Pinecote will accurately reflect the major natural processes of the site.
3. Planting design should reflect Plant Community Structure." [10].

"In spring 2011, a graduate class in the department of landscape architecture at Mississippi State University, was assigned by one of the authors (Brzuszek) the task of conducting the research and to develop the conceptual designs for the Forested Stream exhibit. The semester-long project included studying the research literature for small streams and stream restoration; site visits to small streams near the Arboretum site to measure and map their wetland configurations; study the plant species and spatial configurations of small stream corridors; to host a design charrette to consider possible conceptual designs; and the resolution of conceptual ideas into a proposed exhibit design. To fund the exhibit construction, a federal grant was applied for and awarded through the National Fish and Wildlife Foundation's 5-Star Grant. The grant awarded \$38,870 with a complementary match by the Crosby Arboretum and its partners, and the period required construction of the exhibit to be completed by June 2013" [12]. The small stream swamp exhibit covers approximately four acres and connects the Gum Pond in the northern part of the site to the Slough and Beaver Pond to the south. This wetland exhibit improves habitat for fish, amphibians, reptiles, and birds that are indigenous to the Pearl River Drainage Basin. The forested stream channel offers a unique opportunity to teach visitors about the importance of forested wetlands by demonstrating the value of its function [10]. Dead Tiger Creek, a natural stream which is near the arboretum, served as a reference site to closely examine the regional features of water corridors. The class studied vegetative patterns and aquatic habitats to aid in understanding the dynamics of small stream swamp forests. With collective effort, the class created field sketches and detailed notes on various characteristics of the creek. Reviewing this information provided vital intelligence and was relevant to future implementation of the Crosby Arboretum exhibit [13].

2. The ecological significance of the Arboretum

The Crosby Arboretum is preserving existing ecosystems in its natural areas and at the Interpretive Center site. [14][15] [16]. The designers enabled the site to "express itself" by introducing periodic fire to maintain the savanna exhibit (fire is an important component of the Piney Woods ecosystem) and it displays native plants within the context of regionally occurring native plant communities (Figure 3) [10] [17]. The arboretum is an environmental intervention and it is the first truly regenerative arboretum in the U.S. because the entire site, and all of its sites are based solely upon the environment [18] [19]. With these qualities, Crosby Arboretum is involved in four ecological landscape design categories which were determined by Mozingo (1997) [20]: "preservation of existing, functioning ecological systems; enhancement or re-establishment of degraded ecological systems; intensification of ecological processes to mitigate potential or existing ecological degradation; and environmental interventions which reduce nonrenewable resource consumption."

Figure 3. Prescribed fires at te arboretum

The assemblages of carefully selected and protected lands nurtures the species of indigenous trees, shrubs, wildflowers, and grasses. Together with the rare, or endangered species of plants and wildlife throughout the Arboretum's preserves, unusual plants have their place as well. The Arboretum protects and manages several pitcher plant bogs both on site and within the natural areas. Edible, poisonous, and aromatic plants, too, are found at the Arboretum. As the seasons unfold their splendor, the Arboretum provides a clear, unobstructed view of the variety and beauty of our natural resources.

While constituting the master plan of the arboretum; through observation and research, first the staff uncovered the wet, mesic and dry zones of the site and their associated plants. This information guided the form of Pinecote's master plan (awarded an honour award by the

American Society of Landscape Architects in 1992). At the Arboretum, each exhibit is modeled after natural habitats found and oriented at appropriate locations. Predominant plant species found in these habitats are then planted among the existing vegetation structure of Pinecote. These “introduced” species are located with scientific accuracy and designer’s eye so that visitors have an opportunity to understand the process that shape plant communities as well as to experience the heightened drama and beauty of the Piney Woods.

The Pearl River Basin is at the hearth of the Arboretum’s mission, which is to interpret, promote and preserve the native plant communities along its boundaries. Pinecote has no irrigation lines or other artificial life support systems, thus existing site hydrology plays a crucial role in the survival and management of all plant community exhibits. So from this standpoint, it paid attention to the water related designs in the arboretum constituting process. The Master Plan identifies the construction of four main wetland exhibits that are based upon regional water features. These include;

- a two-acre pond called Piney Woods Lake that abstracts the form and function of locally-occurring beaver ponds;
- a half-acre Slough Exhibit based upon local bayous;
- a one acre Gum Pond exhibit that features a Gulf Coast waterbody primarily composed of tupelo gum trees (*Nyssa sylvatica* var. *biflora*), (Figure 4) and
- a 970’ small stream corridor entitled the Forested Stream Exhibit. The Piney Woods Lake, Slough, and Gum Pond exhibits have already been constructed prior to 2011.

Figure 4. Gum Pond Exhibit area (Photo :Banu Ozturk Kurtaslan, 2011).

After the completion of Beaver Pond, the success of the pond was demonstrated when beavers moved in and cut down every *Taxodium* tree that had been freshly planted along the pond's margin. Since then a fence has been constructed along the drainage outlet to reduce the number of problem animal species (Figure 5).

The Mississippi River system alone drains more than 40 percent of the United States and portions of southern Canada. The original plant community of Pinecote was essentially wetland in character, a wet pine savanna. *Pinus palustris* once dominated the dry rises of the site, supported with a understory of *Aristida*, *Andropogon* and a host of wild flowers. Even after row-cropping in the 1930s, many native wetland plants such as *Sarracenia alata*, *Ericaulon decangulare* and *Habenaria ciliaris* reappeared at Pinecote, sustained by periodic fires set for forestry purposes. These wetland species continue to survive today and their locations form the basis for the design of Pinecote's plant displays [21].

Figure 5. Beaver Pond Exhibit area (Photo :Banu Ozturk Kurtaslan, 2011).

In its early years, The Crosby Arboretum conducted biological surveys for all of the plants that existed on site. In order to do this, Arboretum managers had the property surveyed and established permanent reference markers across the site. These reference markers would framework the entire site into a grid of one hundred foot square plots that could then be

individually studied. Brass stakes were tamped into the ground at each corner of each grid section. At the top of each stake, a brass plate was stamped with the unique identifiers for that location. In addition to becoming permanent reference markers for subsequent floristic surveys, the brass markers became key alignment points for the locations of structures at the arboretum's Master Plan [12].

On the Table 1, the list of the rich plant species can be seen.

Scientific Name	Common Name	Duration	Habit	Sun	Water
<i>Acalypha gracilens</i>	Slender threeseed mercury	Annual	Herb		
<i>Acer barbatum</i>	Southern sugar maple, Florida maple, Caddo maple	Perennial	Tree	Part-shade	Dry
<i>Acer rubrum</i>	Red maple, Scarlet maple	Perennial	Tree	Sun, Part-shade	Moist
<i>Acer rubrum var. drummondii</i>	Drummond's maple, Drummond red maple, Swamp maple	Perennial	Tree	Part shade	Wet, moist
<i>Aesculus pavia</i>	Scarlet Buckeye, Red buckeye, Firecracker plant	Perennial	Shrub, Tree	Part shade	Wet, moist
<i>Agalinis fasciculata</i>	Beach false foxglove	Annual	Herb		
<i>Agalinis purpurea</i>	Purple false foxglove, Purple gerardia, Gerardia	Annual	Herb	Sun, Shade, Part-shade	Wet, Moist
<i>Agalinis tenuifolia</i>	Slenderleaf false foxglove	Annual	Herb		
<i>Aletris aurea</i>	Golden colicroot, Colicroot, Star grass, Yellow colic root	Perennial	Herb		
<i>Aletris farinosa</i>	White colicroot, Colic root, Unicorn root	Perennial	Herb	Sun	Moist, Dry
<i>Alnus serrulata</i>	Hazel alder, Brookside alder, Tag alder, Common alder	Perennial	Shrub	Sun, Shade, Part-shade	Wet, Moist
<i>Amelanchier arborea</i>	Common serviceberry, Downy serviceberry, Shadbush, Juneberry	Perennial	Shrub	Sun, Shade, Part-shade	Dry
<i>Amorpha fruticosa</i>	Indigo bush, False indigo bush, False indigo, Desert false indigo	Perennial	Shrub	Sun, Part-shade	Moist
<i>Andropogon virginicus</i>	Broomsedge bluestem, Broom-sedge	Perennial	Grass/Grass-like	Part-shade	Moist
<i>Aralia spinosa</i>	Devil's walkingstick, Devil's walking-stick, Prickly Ash, Hercules	Perennial	Tree	Part-shade	Moist
<i>Arundinaria gigantea</i>	Giant cane	Perennial	Grass/Grass-like	Part-shade	Wet
<i>Asclepias lanceolata</i>	Fewflower milkweed, Few-flower milkweed, Red milkweed	Perennial	Herb	Sun	Wet
<i>Asclepias longifolia</i>	Longleaf milkweed	Perennial	Herb		
<i>Baccharis halimifolia</i>	Groundseltree, Sea-myrtle, Consumptionweed, Eastern baccharis, Groundsel, Groundsel bush, Salt marsh-elder, Salt bush, Florida groundsel bush	Perennial	Shrub	Part-shade	Wet
<i>Baccharis halimifolia</i>					
<i>Balduina uniflora</i>	Oneflower honeycombhead	Perennial	Herb		
<i>Bartonia paniculata</i>	Twining screwstem	Annual	Vine		
<i>Betula nigra</i>	River birch	Perennial	Tree	Part-shade	Moist
<i>Bidens aristosa</i>	Bearded beggarticks, Tickseed sunflower	Annual	Herb		
<i>Buchnera americana</i>	American bluehearts, Bluehearts	Annual	Herb	Sun	Moist
<i>Callicarpa americana</i>	American beautyberry, French mulberry	Perennial	Shrub	Part-shade	Moist
<i>Calopogon pallidus</i>	Pale grasspink	Perennial	Herb		
<i>Calopogon tuberosus</i>	Tuberous grasspink, Grass pink	Perennial	Herb		
<i>Canna flaccida</i>	Bandanna of the Everglades, Golden canna	Perennial	Herb	Sun	Wet

Scientific Name	Common Name	Duration	Habit	Sun	Water
<i>Carex glaucescens</i>	Southern waxy sedge	Perennial	Grass/Grass-like		
<i>Carphephorus odoratissimus</i>	Vanillaleaf, Vanilla Plant	Perennial	Herb		
<i>Carpinus caroliniana</i>	American hornbeam, Blue beech, Musclewood, Ironwood	Perennial	Tree	Shade, Part-shade	Moist
<i>Carya glabra</i>	Pignut hickory	Perennial	Tree	Sun, Shade, Part-shade	Dry
<i>Castanea pumila</i>	Chinkapin, Allegheny chinquapin, Allegheny-chinkapin, Chinquapin	Perennial	Shrub	Part-shade	Dry
<i>Ceanothus americanus</i>	New Jersey tea, Redroot	Perennial	Shrub	Shade, Part-shade	Moist, Dry
<i>Cephalanthus occidentalis</i>	Common buttonbush, Buttonbush, Button willow	Perennial	Shrub	Shade, Part-shade	Wet, Moist
<i>Cercis canadensis</i>	Eastern redbud, Redbud	Perennial	Tree	Shade, Part-shade	Moist
<i>Chamaecrista fasciculata</i>	Partridge pea, Sleepingplant, Sensitive plant	Annual	Herb	Sun, Part-shade	Moist, Dry
<i>Chamaecrista fasciculata</i>	Partridge pea, Sleepingplant, Sensitive plant	Annual	Herb	Sun, Part-shade	Moist, Dry
<i>Chaptalia tomentosa</i>	Woolly sunbonnets	Perennial	Herb		
<i>Chionanthus virginicus</i>	White fringetree, Fringe tree	Perennial	Tree	Part-shade	Moist
<i>Chrysopsis mariana</i>	Maryland goldenaster, Maryland golden-aster	Perennial	Herb	Sun	Wet
<i>Cirsium muticum</i>	Swamp thistle	Biennial	Herb		
<i>Cleistes divaricata</i>	Rosebud orchid	Perennial	Herb		
<i>Clematis crispa</i>	Swamp leatherflower, Curly clematis, Blue jasmine, Curlflower	Perennial	Vine	Sun, Part-shade	Wet, Moist
<i>Clethra alnifolia</i>	Coastal sweet pepperbush, Clethra, Summer sweet	Perennial	Shrub	Sun, Shade, Part-shade	Wet, Moist
<i>Cliftonia monophylla</i>	Buckwheat tree, Buckwheat bush	Perennial	Shrub	Sun	Wet
<i>Cnidioscolus urens var. stimulosus</i>	Finger rot, Tread Softly	Perennial	Herb		
<i>Coreopsis lanceolata</i>	Lanceleaf coreopsis, Lanceleaf tickseed,	Perennial	Herb	Sun, Shade, Part-shade	Dry
<i>Coreopsis linifolia</i>	Texas tickseed	Perennial	Herb		
<i>Cornus florida</i>	Flowering dogwood, Virginia dogwood	Perennial	Tree	Shade, Part-shade	Moist, Dry
<i>Crataegus marshallii</i>	Parsley hawthorn	Perennial	Tree	Part-shade	Dry
<i>Crataegus opaca</i>	Mayhaw, Riverflat hawthorn, Western mayhaw	Perennial	Tree	Part-shade	Wet
<i>Crinum americanum</i>	Crinum lily, Seven sisters, Swamp lily, Southern swamp lily, String lily	Perennial	Shrub	Part-shade	Wet
<i>Croton capitatus</i>	Hogwort	Annual	Herb		
<i>Cuscuta pentagona</i>	Fiveangled dodder	Annual	Vine		
<i>Cyrilla racemiflora</i>	Swamp titi, Titi, Leatherwood, Swamp cyrilla, Palo colorado	Perennial	Tree	Part-shade	Wet
<i>Diodia teres</i>	Poorjoe	Annual	Herb		
<i>Diospyros virginiana</i>	Common persimmon, Eastern persimmon	Perennial	Tree	Part-shade	Dry
<i>Drosera brevifolia</i>	Dwarf sundew, Spatulate-leaved sundew	Perennial	Herb		
<i>Drosera capillaris</i>	Pink sundew	Annual	Herb		
<i>Drosera intermedia</i>	Spoonleaf sundew	Perennial	Herb	Sun	
<i>Eleocharis ovata</i>	Ovate spikerush	Annual	Grass/Grass-like	Sun	
<i>Erigeron philadelphicus</i>	Philadelphia fleabane, Fleabane daisy	Biennial	Herb	Part-shade	
<i>Erigeron vernus</i>	Early whitetop fleabane	Perennial	Herb		
<i>Eriocaulon compressum</i>	Flattened pipewort, Hat pins	Perennial	Herb	Part-shade	Wet

Scientific Name	Common Name	Duration	Habit	Sun	Water
<i>Eriocaulon decangulare</i>	Tenangle pipewort, Pipewort	Perennial	Herb	Sun	
<i>Erythrina herbacea</i>	Coralbean, Cherokee bean, Red cardinal American strawberry-bush, Strawberry bush, Brook euonymus, Hearts-a-burstin, Bursting- heart, Wahoo	Perennial	Shrub	Sun, Part-shade	Dry
<i>Euonymus americanus</i>	Trumpetweed, Queen of the meadow, Hollow	Perennial	Shrub	Part-shade	Moist
<i>Eupatoriadelphus fistulosus</i>	Joe-pye weed, Joe-pye weed	Perennial	Herb	Sun	Wet, Moist
<i>Eupatorium capillifolium</i>	Dog Fennel, Dogfennel	Perennial	Herb		
<i>Eupatorium perfoliatum</i>	Common boneset	Perennial	Herb	Sun, Shade, Part-shade	Wet, Moist
<i>Eupatorium rotundifolium</i>	Roundleaf thoroughwort	Perennial	Herb		
<i>Fagus grandifolia</i>	American beech	Perennial	Tree	Shade, Part- shade	Moist
<i>Galium tinctorium</i>	Stiff marsh bedstraw	Perennial	Herb	Part-shade	
<i>Gaylussacia dumosa</i>	Dwarf huckleberry	Perennial	Shrub	Part-shade	
<i>Gelsemium sempervirens</i>	Carolina jessamine, Yellow jessamine, Evening trumpetflower, Poor man's rope	Perennial	Vine	Sun, Part-shade Shade, Part- shade	Moist Moist
<i>Geranium maculatum</i>	Spotted geranium, Wild geranium, Cranesbill	Perennial	Herb	Shade	Moist
<i>Gordonia lasianthus</i>	Gordonia, Loblobly bay Two-wing silverbell, Silver bell, Two-winged silverbell, Snowdrop tree, American snowdrop tree	Perennial	Shrub	Sun	Moist
<i>Halesia diptera</i>		Perennial	Shrub, Tree	Part-shade Shade, Part- shade	Dry Moist, Dry
<i>Hamamelis virginiana</i>	Witch hazel, American witch hazel	Perennial	Tree		
<i>Helenium vernale</i>	Savannah sneezeweed	Perennial	Herb		
<i>Helianthus angustifolius</i>	Swamp sunflower	Perennial	Herb	Part-shade	Wet
<i>Hibiscus aculeatus</i>	Comfortroot, Big thicket hibiscus, Pineland hibiscus	Perennial	Herb	Sun, Part-shade	Moist
<i>Hibiscus lasiocarpus</i>	Rose-mallow, Rosemallow, Woolly mallow, Wooly Rose-mallow	Perennial	Shrub	Sun	Wet
<i>Hydrangea quercifolia</i>	Oakleaf hydrangea, Oak-leaf hydrangea	Perennial	Shrub	Shade	Moist
<i>Hypericum crux-andreae</i>	St. Peterswort	Perennial	Subshrub	Part-shade	
<i>Hypericum gentianoides</i>	Orangegrass, Pineweed	Annual	Herb	Part-shade	
<i>Hypericum gymnanthum</i>	Claspingleaf St. Johnswort	Perennial	Herb		
<i>Hypericum tetrapetalum</i>	Fourpetal St. Johnswort	Perennial	Subshrub		
<i>Hypoxis hirsuta</i>	Common goldstar, Eastern yellow star-grass, Yellow star-grass	Perennial	Herb	Sun, Shade, Part-shade	Dry
<i>Ilex amelanchier</i>	Sarvis holly, Swamp holly	Perennial	Shrub	Part-shade	Wet
<i>Ilex coriacea</i>	Large gallberry, Bay-gall bush, Ink-berry holly Possumhaw, Possumhaw Holly, Deciduous	Perennial	Shrub	Part-shade	Moist
<i>Ilex decidua</i>	Holly, Winterberry, Deciduous yaupon	Perennial	Shrub	Sun, Part-shade	Moist
<i>Ilex glabra</i>	Inkberry, Gallberry	Perennial	Shrub	Part-shade	Wet, Moist
<i>Ilex myrtifolia</i>	Myrtle dahoon, Myrtle leaf holly, Myrtle holly	Perennial	Shrub	Part-shade Sun, Shade,	Moist
<i>Ilex opaca</i>	American holly, Christmas holly	Perennial	Tree	Part-shade	Wet, Dry
<i>Ilex verticillata</i>	Common winterberry, Michigan holly, Black alder	Perennial	Tree	Sun, Shade, Part-shade	Wet, Moist, Dry
<i>Ilex vomitoria</i>	Yaupon, Yaupon holly, Cassina	Perennial	Shrub, Tree	Sun, Shade, Part-shade	Moist, Dry
<i>Illicium floridanum</i>	Florida anisetree, Florida anise, Anise tree, Stinkbush	Perennial	Shrub	Part-shade	
<i>Ipomoea pandurata</i>	Man of the earth, Wild Potato, Wild sweet potato	Perennial	Herb	Sun, Shade, Part-shade	Moist

Scientific Name	Common Name	Duration	Habit	Sun	Water
<i>Iris fulva</i>	Copper iris, Red iris	Perennial	Herb	Sun, Part-shade	Wet, Moist
<i>Iris virginica</i>	Virginia iris, Great Blue Flag	Perennial	Herb	Sun	Wet
<i>Itea virginica</i>	Virginia sweetspire, Tassel-white	Perennial	Shrub	Part-shade	Moist
<i>Juncus effusus</i>	Common rush, Soft Rush	Perennial	Grass/Grass-like	Sun	Wet, Moist
<i>Juncus tenuis</i>	Poverty rush, Path rush	Perennial	Grass/Grass-like	Part-shade	
<i>Kalmia latifolia</i>	Mountain laurel, Calico bush	Perennial	Shrub	Part-shade	Moist
<i>Lachnanthes carolina</i>	Carolina redroot, Paint root	Perennial	Herb	Sun, Part-Shade	Moist
<i>Lespedeza capitata</i>	Roundhead lespedeza, Roundhead bush-clover	Perennial	Herb	Sun	Dry
<i>Leucothoe axillaris</i>	Coastal doghobble, Coast leucothoe	Perennial	Shrub	Shade, Part-shade	Moist
<i>Liatris aspera</i>	Tall blazing star, Tall gayfeather, Rough blazing star, Button snakeroot	Perennial	Herb	Sun	Dry
<i>Liatris spicata</i>	Dense blazing star, Dense gayfeather, Marsh blazing star	Perennial	Herb	Sun	Moist
<i>Liatris squarrosa</i>	Blazing star, Scaly blazing star, Scaly gayfeather	Perennial	Herb	Sun	Dry
<i>Lilium catesbaei</i>	Pine lily, Southern red lily, Catesby's lily	Perennial	Herb	Part-shade	Wet, Moist
<i>Liquidambar styraciflua</i>	Sweetgum, American sweetgum	Perennial	Tree	Part-shade	Moist
<i>Liriodendron tulipifera</i>	Tuliptree, Tulip poplar	Perennial	Tree	Sun, Shade, Part-shade	Moist
<i>Lobelia cardinalis</i>	Cardinal flower	Perennial	Herb	Part-shade	Wet, Moist
<i>Lobelia floridana</i>	Florida lobelia	Perennial	Herb		
<i>Lobelia puberula</i>	Downy lobelia	Perennial	Herb		
<i>Lobelia spicata</i>	Palespike lobelia, Pale-spike lobelia	Perennial	Herb	Sun, Shade, Part-shade	Moist, Dry
<i>Ludwigia peploides</i>	Creeping water-primrose, Floating primrose-willow, Water-primrose	Perennial	Herb	Sun	
<i>Lyonia lucida</i>	Fetterbush lyonia, Shinyleaf, Fetterbush, Staggerbush	Perennial	Shrub	Shade, Part-shade	Moist
<i>Magnolia acuminata</i>	Cucumbertree, Cucumber tree	Perennial	Tree	Sun, Shade, Part-shade	Wet, Moist
<i>Magnolia grandiflora</i>	Southern magnolia, Evergreen magnolia, Bull bay	Perennial	Tree	Part-shade	Dry
<i>Magnolia macrophylla</i>	Bigleaf magnolia	Perennial	Tree	Part-shade	
<i>Magnolia virginiana</i>	Sweetbay, Sweetbay magnolia, Swampbay	Perennial	Tree	Part-shade	Moist
<i>Malus angustifolia</i>	Southern crabapple, Wild crabapple	Perennial	Tree	Part-shade	Moist
<i>Mikania scandens</i>	Climbing hempvine, Climbing hempweed	Perennial	Vine	Shade	Wet
<i>Morella cerifera</i>	Wax myrtle, Southern bayberry, Candleberry	Perennial	Shrub	Sun, Part-shade	Wet, Moist
<i>Nothoscordum bivalve</i>	Crow poison, Crowpoison, False garlic	Perennial	Herb	Sun	
<i>Nuphar lutea</i>	Yellow pond-lily, Cow lily, Spatter dock, Yellow cow lily	Perennial	Herb	Part-shade	Wet
<i>Nymphaea odorata</i>	American white waterlily, American white water-lily, Fragrant white water lily, White water lily, Fragrant water lily, White water lily	Perennial	Herb	Sun, Shade, Part-shade	Wet
<i>Nymphoides aquatica</i>	Big floatingheart, Floating hearts	Perennial	Herb	Part-shade	Wet
<i>Nyssa ogeche</i>	Ogeechee tupelo, Ogeechee lime	Perennial	Tree	Part-shade	Wet
<i>Nyssa sylvatica</i>	Blackgum, Black tupelo, Sourgum, Tupelo	Perennial	Tree	Sun, Shade, Part-shade	Moist
<i>Orontium aquaticum</i>	Goldenclub	Perennial	Herb	Part-shade	Wet
<i>Osmanthus americanus</i>	Devilwood, Wild olive	Perennial	Tree	Part-shade	Moist

Scientific Name	Common Name	Duration	Habit	Sun	Water
<i>Osmunda cinnamomea</i>	Cinnamon fern	Perennial	Herb, Fern	Sun, Shade, Part-shade	Wet, Moist
<i>Oxalis stricta</i>	Common yellow oxalis, Yellow Wood-sorrel	Perennial	Herb	Sun	Dry
<i>Oxypolis filiformis</i>	Water cowbane	Perennial	Herb		
<i>Panicum virgatum</i>	Switchgrass, Wand panic grass	Perennial	Grass/Grass-like	Sun, Part-shade	Moist, Dry
<i>Paspalum plicatulum</i>	Brownseed paspale, Brownseed paspalum	Perennial	Grass/Grass-like	Part-shade	Moist
<i>Peltandra virginica</i>	Green arrow arum, Tuckahoe, Arrow arum, Green arrow-arum	Perennial	Herb	Part-shade	Wet
<i>Persea borbonia</i>	Redbay, Red bay	Perennial	Tree	Part-shade	Moist
<i>Persea palustris</i>	Swamp bay	Perennial	Shrub, Tree		
<i>Phlox pilosa</i>	Downy phlox, Prairie phlox, Fragrant phlox	Perennial	Herb	Sun, Part-shade	Dry
<i>Photinia pyrifolia</i>	Red chokeberry, Red chokecherry	Perennial	Shrub	Sun	Moist
<i>Physostegia virginiana</i>	Fall obedient plant, Obedient plant, False dragonhead	Perennial	Herb	Sun, Shade, Part-shade	Moist
<i>Pinguicula lutea</i>	Yellow butterwort	Perennial	Herb	Part-shade	Moist
<i>Pinus elliotii</i>	Slash pine	Perennial	Tree	Sun	Moist
<i>Pinus glabra</i>	Spruce pine	Perennial	Tree	Part-shade	Moist
<i>Pinus palustris</i>	Longleaf pine, Georgia pine	Perennial	Tree	Part-shade	Moist
<i>Pinus taeda</i>	Loblolly pine, Old field pine, Bull pine, Rosemary pine	Perennial	Tree	Sun	Dry
<i>Pluchea foetida</i>	Stinking camphorweed	Perennial	Tree	Part-shade	Dry
<i>Pogonia ophioglossoides</i>	Beard flower, Rose pogonia orchid, Snake-mouth orchid, Snakemouth Moist	Perennial	Herb	Sun	Wet,
<i>Polygala cruciata</i>	Candy root, Drumheads	Annual	Herb		
<i>Polygala incarnata</i>	Procession flower	Annual	Herb	Sun	Dry
<i>Polygala lutea</i>	Candy Weed, Orange milkwort	Biennial	Herb		
<i>Polygala mariana</i>	Maryland milkwort	Annual	Herb		
<i>Polygala nana</i>	Candyroot	Annual	Herb		
<i>Polygala ramosa</i>	Low pinebarren milkwort, Yellow savannah milkwort	Annual	Herb		
<i>Polypremum procumbens</i>	Juniper leaf	Annual, Perennial	Herb		
<i>Pontederia cordata</i>	Pickernelweed, Pickerel Weed	Perennial	Herb	Sun, Part-shade	Wet, Moist
<i>Prunus angustifolia</i>	Chickasaw plum, Sandhill plum	Perennial	Tree	Sun, Part-shade	Dry
<i>Prunus serotina</i>	Black cherry, Rum cherry	Perennial	Tree	Sun, Shade, Part-shade	Moist, Dry
<i>Pteridium aquilinum</i>	Western bracken fern, Bracken fern, Western bracken, Bracken	Perennial	Herb, Fern	Shade, Part-shade	Wet, Moist, Dry
<i>Ptilimnium capillaceum</i>	Herbwilliam	Annual	Herb		
<i>Pyrrhopappus carolinianus</i>	Carolina desert-chicory	Annual	Herb		
<i>Quercus alba</i>	White oak, Northern white oak, Stave Oak, Ridge White Oak, Forked-leaf White Oak	Perennial	Tree	Sun, Shade, Part-shade	Moist, Dry
<i>Quercus falcata</i>	Southern red oak, Spanish oak	Perennial	Tree	Part-shade	Dry
<i>Quercus incana</i>	Bluejack oak, Sandjack oak, Upland willow oak, Cinnamon oak, Shin oak, Turkey oak	Perennial	Shrub, Tree	Part-shade	Dry
<i>Quercus laurifolia</i>	Laurel oak, Swamp laurel oak, Darlington oak, diamond-leaf oak, laurel-leaf oak, water oak, obtuse oak	Perennial	Tree	Part-shade	
<i>Quercus marilandica</i>	Blackjack oak, Barren oak, black oak, jack oak	Perennial	Tree	Part-shade	Dry
<i>Quercus michauxii</i>	Swamp chestnut oak, Basket oak, Cow oak	Perennial	Tree	Part-shade	Moist

Scientific Name	Common Name	Duration	Habit	Sun	Water
<i>Quercus nigra</i>	Water oak	Perennial	Tree	Part-shade	Wet
<i>Quercus pagoda</i>	Cherrybark oak	Perennial	Tree		
<i>Quercus phellos</i>	Willow oak	Perennial	Tree	Part-shade	Moist
<i>Quercus virginiana</i>	Coastal live oak, Southern live oak, Live oak	Perennial	Tree	Sun, Part-shade	Moist
<i>Rhapidophyllum hystrix</i>	Needle palm, Blue palmetto	Perennial	Shrub	Part-shade	
<i>Rhexia alifanus</i>	Savannah meadowbeauty	Perennial	Herb		
<i>Rhexia lutea</i>	Yellow meadow beauty, Yellow meadowbeauty	Perennial	Herb		
<i>Rhexia mariana</i>	Maryland meadowbeauty, Maryland meadow-beauty, Meadow beauty	Perennial	Herb	Part-shade	Moist
<i>Rhexia petiolata</i>	Fringed meadowbeauty	Perennial	Herb		
<i>Rhexia virginica</i>	Meadow beauty, Handsome Harry	Perennial	Herb	Part-shade	Wet
<i>Rhododendron austrinum</i>	Orange azalea, Florida azalea, Yellow azalea Mountain azalea, Wild azalea, Honeysuckle azalea, Piedmont azalea, Sweet azalea, Hoary azalea, Southern pinxterflower	Perennial	Shrub	Part-shade	Dry
<i>Rhododendron canescens</i>	Winged sumac, Shining sumac, Flameleaf sumac	Perennial	Shrub	Part-shade	Dry
<i>Rhus copallinum</i>	Starrush whitetop, Star sedge, White-topped sedge, Whitetop sedge	Perennial	Shrub	Sun	Dry
<i>Rhynchospora colorata</i>	Shortbristle horned beaksedge, Horned Beakrush	Perennial	Grass/Grass-like	Sun, Part-shade	Wet
<i>Rhynchospora corniculata</i>	Clustered beaksedge, Cluster Beak-rush	Perennial	Grass/Grass-like	Sun	
<i>Rhynchospora glomerata</i>	Sawtooth blackberry	Perennial	Grass/Grass-like		
<i>Rubus argutus</i>	Dewberry, Southern dewberry	Perennial	Shrub		
<i>Rubus trivialis</i>	Black-eyed Susan, Common black-eyed Susan, Brown-eyed Susan	Perennial	Herb	Sun, Part-shade	Moist, Dry
<i>Rudbeckia hirta</i>		Annual	Herb	Sun, Shade, Part-shade	Moist, Dry
<i>Sabal minor</i>	Dwarf palmetto, Palmetto, Bush palmetto	Perennial	Herb	Sun, Shade, Part-shade	Moist, Dry
<i>Sabatia brachiata</i>	Narrowleaf rose gentian	Biennial	Shrub		
<i>Sabatia campestris</i>	Texas star, Rose gentian, Meadow pink, Prairie rose-gentian, Prairie sabatia	Annual	Herb	Part-shade	Dry
<i>Sagittaria graminea</i>	Grassy arrowhead, Grass-leaf arrowhead	Perennial	Herb		
<i>Salix nigra</i>	Black willow, Gulf black willow	Perennial	Herb	Sun, Shade, Part-shade	Wet, Moist
<i>Salvia azurea</i>	Pitcher sage, Big blue sage, Azure sage, Giant blue sage, Blue sage	Perennial	Tree	Part-shade	Dry
<i>Salvia lyrata</i>	Lyreleaf sage, Cancer weed	Perennial	Herb	Sun, Shade, Part-shade	Moist, Dry
<i>Sarracenia alata</i>	Flycatcher, Yellow pitcher plant, Yellow trumpet, Yellow trumpets	Perennial	Herb	Part-shade	
<i>Sarracenia psittacina</i>	Parrot pitcherplant	Perennial	Herb	Wet	
<i>Sassafras albidum</i>	Sassafras	Perennial	Subshrub	Sun, Shade, Part-shade	Moist
<i>Saururus cernuus</i>	Lizard's tail, Lizard's-tail, Breast weed	Perennial	Tree	Shade, Part-shade	Wet, Moist
<i>Scirpus cyperinus</i>	Woolgrass, Cottongrass bulrush, Marsh bulrush, Teddybear paws	Perennial	Herb		
<i>Scutellaria integrifolia</i>	Helmet-flower, Rough Skullcap, Common Large Skullcap, Tall Skullcap	Perennial	Grass/Grass-like	Sun	Wet
<i>Serenoa repens</i>	Saw palmetto	Perennial	Herb	Sun	Wet
<i>Sisyrinchium angustifolium</i>	Narrowleaf blue-eyed grass, Narrow-leaf blue-eyed-grass, Bermuda blue-eyed grass,	Perennial	Shrub	Part-shade	
		Perennial	Herb	Sun, Part-shade	Wet, Moist

Scientific Name	Common Name	Duration	Habit	Sun	Water
	Blue-eyed grass				
<i>Smilax laurifolia</i>	Laurel greenbrier, Laurel greenbrier	Perennial	Vine	Part-shade	Wet
<i>Smilax pumila</i>	Sarsaparilla vine, Wild sarsaparilla, Dwarf smilax, Dwarf greenbrier	Perennial	Vine	Part-shade	Dry
<i>Smilax smallii</i>	Lanceleaf greenbrier, Southern smilax, Jacksonvine, Jacksonbrier	Perennial	Vine	Sun, Part-shade	Moist
<i>Solidago altissima</i>	Tall Goldenrod, Late goldenrod, Canadian goldenrod, Canada goldenrod	Perennial	Herb	Shade, Part-shade	Moist
<i>Solidago gigantea</i>	Giant goldenrod, Smooth goldenrod, Tall goldenrod, Late goldenrod, Early goldenrod	Perennial	Herb	Part-shade	
<i>Solidago odora</i> var. <i>odora</i>	Anisescented goldenrod	Perennial	Herb		
<i>Solidago patula</i>	Roundleaf goldenrod	Perennial	Herb	Sun, Shade, Part-shade	Wet, Moist
	Wrinkleleaf goldenrod, Wrinkle-leaf goldenrod, Rough-leaved goldenrod, Roughleaf goldenrod, Rough-stemmed goldenrod, Roughstem goldenrod				
<i>Solidago rugosa</i>	Nodding lady's tresses, Ladies' tresses, Nodding ladies' tresses orchid	Perennial	Herb	Sun	Wet
<i>Spiranthes cernua</i>		Perennial	Herb	Sun	Moist
<i>Spiranthes praecox</i>	Greenvein lady's tresses	Perennial	Herb		
<i>Stokesia laevis</i>	Stokes aster	Perennial	Herb	Sun, Part-shade	Moist
<i>Stylosanthes biflora</i>	Sidebeak pencilflower	Perennial	Herb		
	American snowbell, American snowbells, American silverbells, Big-leaf snowbell, Storax	Perennial	Tree	Part-shade	Wet
<i>Styrax americanus</i>	Horsesugar, Common sweetleaf, Sweetleaf, Yellowwood	Perennial	Tree	Part-shade	Wet
<i>Symplocos tinctoria</i>		Perennial	Tree	Sun	Moist
<i>Taxodium ascendens</i>	Pond cypress	Perennial	Tree		
	Bald cypress, Baldcypress, Common bald cypress, Southern bald cypress	Perennial	Tree	Sun, Part-shade	Moist
<i>Taxodium distichum</i>				Shade, Part-shade	Moist
<i>Toxicodendron radicans</i>	Eastern poison ivy, Poison ivy, Poison oak	Perennial	Shrub, Vine	shade	Moist
<i>Ulmus alata</i>	Winged elm	Perennial	Tree	Part-shade	Dry
<i>Vaccinium arboreum</i>	Farkleberry, Tree sparkleberry, Sparkleberry	Perennial	Tree	Part-shade	Dry
<i>Vaccinium darrowii</i>	Darrow's blueberry, Evergreen blueberry	Perennial	Shrub	Part-shade	Moist
<i>Vaccinium elliotii</i>	Elliot's blueberry	Perennial	Shrub		
				Sun, Shade, Part-shade	Wet, Moist
<i>Viburnum nudum</i>	Possumhaw viburnum, Possumhaw	Perennial	Shrub		
<i>Viola septemloba</i>	Southern coastal violet	Perennial	Herb		
<i>Vitis rotundifolia</i>	Muscadine, Scuppernong grape	Perennial	Vine	Part-shade	Moist
	American wisteria, Texas wisteria, Kentucky wisteria	Perennial	Vine	Sun, Shade, Part-shade	Moist
<i>Wisteria frutescens</i>	Netted chainfern, Chain fern, Netted chain fern	Perennial	Herb, Fern	Shade, Part-shade	Wet, Moist
<i>Woodwardia areolata</i>				shade	
<i>Woodwardia virginica</i>	Virginia chain fern, Virginia chainfern	Perennial	Herb, Fern	Part-shade	Wet, Moist
	Coastal plain yelloweyed grass, Coastalplain yelloweyed grass	Perennial	Herb		
<i>Xyris ambigua</i>		Perennial	Herb		
<i>Xyris difformis</i>	Bog yelloweyed grass	Perennial	Herb		
<i>Zigadenus glaberrimus</i>	Camas, Sandbog deathcamas	Perennial	Herb		

Table 1. The list of the plant species at the Crosby Arboretum
(http://www.wildflower.org/collections/printable.php?collection=Organization_817)

The wildlife patterns at the arboretum as below:

Animals:

Rabbit
Beaver
Muskrat
Opposum (sign)
Raccoon (sign)
Skunk (sign)
Fox (sign)
Coyote (reported from neighbours)
Feral (& pet) dogs & cats
Squirrel
Rat (spp. unknown)
Mice (spp. unknown)
Shrew (spp. unknown)
Rat snake (spp. unknown)
Diamond-Backed water snake
Copperhead Snake
Water Moccasin Snake
Garter Snake
Box Turtle

Birds:

Waterfowl
Bobwhite Quail
Turkey
Woodcock
Great Blue Heron
Little Blue Heron
Kingfisher
Red-tailed Hawk
English Sparrow
Starling
Red-Headed Woodpecker
Mourning Dove
Bobwhite quail
Mockingbird
Robin
Brown Thrasher

Other:

Crayfish (probably more than one species)
Insects *ad infinitum*

3. The esthetic significance of the arboretum

Gardener William Robinson (1838-1935) was one of the first to abstract nature in garden designs. Within natural environments, Robinson was very sensitive to landscape design characteristics, including vegetation colors, forms, and textures. Robinson advocated studying the spatial composition of a natural landscape in his book *The Wild Garden* by observing how boundaries of a space were contained by the trees and shrubs. Similarly, Winston Spirn (1984) and further stipulates that landscape architects play a role in creating "conspicuous expression and visible interpretation" of landscape, and that the use of artistic interpretation plays an important role. Spirn states that "the current understanding of nature and culture as comprising interwoven processes that exhibit a complex, underlying order which holds across vast scales of space and time, not only demands a new aesthetic, new forms, and new modes of design, construction, and cultivation, but also prompts a fresh appreciation for the forms of the past and the processes by which they were created." Calling for a new design aesthetic meant its acceptance and embracement by the general public was needed as well.

In recent years, considerable debate within the design profession about aesthetics and values of ecological design, particularly for urban systems. On one hand, landscape architects are challenged to develop more ecologically sensitive projects, while on the other hand, they are drawing on the richly established tradition of visually aesthetic design. According to Mozingo (1997) [20] ecological designers must consider cultural needs and to incorporate current perceptions of aesthetics and beauty.

As it is mentioned above, there are some water exhibits in the Crosby Arboretum. For ecosystems that feature riparian or wetland systems, water is an important element in ecological design interpretation. Its surface, color, form, reflectiveness or movement are landscape elements in terms of bio-physical perspectives. With its aesthetic quality and the image and symbol that it offers [12]. It creates a sense of a place. It is often used to symbolize things in literature. Water is a universal symbol of change and is often present at turning points in a story. Since water is often sign of life many times water represents life. Fresh water can represent good health and bad water symbolizes bad health. Water can also mean "purity and cleansing" ([http:// symbolis.wikia.com/wiki/Water](http://symbolis.wikia.com/wiki/Water)). For developing the relationships of people with water, every form of land use must be based upon a clear understanding of the relationships of the water within the physical characteristics unique to each place [23].

Art elements and principles can be found near natural small streams. While there is some degree of presence of all of design principles (balance, proportion, rhythm, emphasis, and unity) and elements (point, line, form, shape and space, movement, color, pattern, and texture) found within areas of small streams, the artistic elements such as line and rhythm dominate this landscape type more strongly than others. "Line" is one of the more apparent design elements of a channelized water system. Most small streams have a clearly defined bank edge where the water travels. Stream lines which are horizontal features, contrast strongly vertical lines of adjacent mature trees. These line forms create a different emotional

experience for the viewer, as straight streams provide a distant vanishing point and meandering streams create a sense of mystery as to what is around the next bend. Like this, many natural features such as tree trunks in a dense forest create a sense of "rhythm," as a design principal. In a forested system, a creek becomes a contrast as it is a different material from the surrounding vegetation, rocks or soil. But it also serves importantly as a rhythmic item which literally flows from one part of the landscape scene to the next. The "size" of a landscape element in proportion to its surrounding features is an important principle of design. Small creek systems not only need to serve their hydrological role, but also serve their aesthetic parameters. The design principles such as line, rhythm, and scale are permanent features for small creeks and streams but many of these can be temporal in nature. However, in the fall season "colors" can change to brightly colored reds and oranges for deciduous trees and shrubs. Seasonal changes affect the qualities of other design criteria, especially spatial formations and scale. When leaves fall in the winter months the spatial dynamics of the landscapes change from dense layers of shrub and ground vegetation to an open landscape type. The surrounding land is more easily viewed and the ground plane is much more apparent. "Scale" also changes in winter months, and a small stream channel becomes even smaller in the greater landscape [12].

Mozingo (1997) [20] writes that "examining ecological design in tandem with landscapes of notable aesthetic quality elucidates the difficulties in reconciling their conception of visibility, temporality, reiterated form, expression and metaphor." She neatly summarizes their premises into these 5 clearly defined principles. She stipulates that ecological landscapes have inherent social acceptance problems on their own accord and must become an accepted icon or symbol by the general public to become broadly accepted. In the study of Brzuszek and Clark (2009) [10], for the Crosby Arboretum visitors, a questionnaire was designed by deriving from Mozingo's principles. It aimed to examine some qualities of Crosby arboretum such as visibility, care, orderliness, human presence, meaning were analyzed for the correlation between their value and perception for each. According to the results, visitors;

1. Believe that a landscape should blend into its surrounding environment and see this at Crosby;
2. Believe that a landscape should appear cared for and find Crosby to be well cared for;
3. Believe that landscapes need not be necessarily orderly in their appearance and find Crosby to be somewhat too orderly;
4. Are somewhat neutral on the question of having human forms of expression in the landscape but detected a modest presence at Crosby; and
5. Place high value on the need for meaning in the landscape and give Crosby high marks.

Crosby Arboretum's project designers merged a symbiotic interplay between the vegetation patterns and physical processes of the arboretum site with the patterns and processes found in local plant communities. Selecting its local watershed as its *genius loci*, the landscape exhibits of Pinecote (the public interpretive center of the arboretum) are designed to be "compressed, dramatic expressions of the natural features common to the Piney Woods of the Deep South" [11]. To accomplish this, project designers, Andropogon Associates Ltd.

and Edward L. Blake Jr., merged a symbiotic interplay between the site's vegetation patterns and physical processes with natural patterns found in local plant communities [10].

While analyzing the aesthetic qualities of the Crosby Arboretum, it is useful to take a look at the design principles of Pinecote Pavilion: Pinecote Pavilion is recognized by the Mississippi Department of Archives and History as a Mississippi Landmark (<http://www.crosbyarboretum.msstate.edu/pages/pinecote.php>). Euine Fay Jones (1921-2004), the architect of Pinecote Pavilion described the architectural qualities and design principles of the pavilion by this means: "Architecturally, the Pavilion is a symmetrical shed, resting on a base of earth-toned brick, surrounded by earth, water, and trees. The brick pattern expresses the basic building module—the composition and arrangement of all the vertical columns. The all-wood structure is built of indigenous material, native pine, and is fastened together with nails, dowels, and metal connections. There is complete exposure of every construction element, all visible from within and without. Every framing member, every beam, brace, and connection is absolutely necessary to achieve structural stability. The building is ordered by a geometric theme—a step-edged pattern that defines the outline of the base and the roof's outer edges. Many smaller elements, for lighting and display, are shaped and detailed to reflect and reinforce the characteristic geometry—to build a strong relationship of each part to the whole and to achieve organic unity. As the vertical supports rise from the brick pavement, there is a spreading-out of structural members and a progressively thinning-out of roof decking toward the edges of the hovering roof. There is a transition in the sheltering overhead arrangement, accented by a central skylight, from close and dense to open and fragile. This is analogous to the organic unfolding or blossoming of so many forms of botanical growth. The imbricated pattern of wood shingles also emulate and recall many of natures' surfaces—the bark of trees and the wings of birds. All wood is stained and the metal painted in colors that harmonize with the earth and plants. Nothing has been added to the structure as mere decoration. Ornamentation or decorative enrichment will come from the ever-changing patterns of light and shadows that play on the closely-spaced structural elements as the sun and moon move across the sky. Time of day and seasonal changes will modify the shadows that frame the light and will keep the spaces in and around the Pavilion vital and alive, continuously enhancing the poetics of revealed construction."

E. Fay Jones, FAIA, of Fayetteville, Arkansas, designed all of Pinecote's original buildings. His modest but stunning Pinecote Pavilion won an Honor Award from the American Institute of Architects (AIA) in 1990. That same year, the AIA recognized Fay Jones with its highest individual honor, the Gold Medal. (<http://www.crosbyarboretum.msstate.edu/pages/visitors.php>)

4. The recreational significance of the arboretum

Green areas stand out with their qualities of meeting the recreational needs of the people, both in the city and its vicinity. Especially, arboretums serve various recreational opportunities which are related to education and nature conservation. When these activities

are combined with the other attractive activities and events which are for every age groups successful results.

The variety and richness of flora and fauna living together in different habitats at arboretums provides dynamic tools and resources creating great opportunities for cross-curricular learning. Knowing an outdoor site and identifying the resources available are important to insure the success of this type of program. Nature teaches many lessons about diversity and learning to live together and science helps people investigate questions [24]. The Crosby Arboretum is dedicated to educating the public about their environment as well. Pinecote, serves as the arboretum's public interpretive center. It provide environmental and botanical research opportunities and offer cultural, scientific and recreational programs. The Crosby Arboretum offers a continual schedule of programs and events designed to educate the public about their environment, and to celebrate nature. A festival called "Piney Woods Heritage Festival" is organized at the arboretum each November. Quarterly native plant sales are held. The Arboretum also offers guided and self-guided tours. So that people can observe the threatened or endangered species of plants and wildlife are present at throughout the Arboretum's preserves.

Arboretum website, entry signage and interpretive trail information prepares visitors to the exhibition of native plants in respective plant communities, by setting this tone, visitors understand the context of the facility and better appreciate the educational mission [10]. So, ecologically designed facilities conveys their purpose in promotional literature and interpretive signage this way, the inherent value of those landscapes is conveyed to the visitors. This is an important point for ecologically designed facilities [12].

Central to the arboretum's educational mission was the decision to display native plants in representative plant communities suitable to the site. The Schematic Master Plan outlined the some design principles and almost all the principles serve the educational mission.

At the arboretum, trail systems throughout the site allow visitors to experience more than 50 naturally occurring and human-created regional plant habitats. As the Master Plan stipulates, "Pinecote, a place where the land expresses itself, is the exhibit. Its Master Plan is the organizing framework for the needs and actions off all who use its landscape. This interplay between man and the land organizes the thematic composition of Pinecote's landscape exhibits" [21] [10]. On the walking journey at The Crosby Arboretum the visitor could experience and learn about Gulf Coast landscape. They can take a stroll around the Pond Journey to discover the diversity of life in wetland habitats, visit the South Savanna Exhibit to see carnivorous pitcher plants, and enjoy the wonder of the Pinecote Pavilion, a Mississippi Landmark. Interpretative signs along the trails describe the flora, fauna and cultural history of the Piney Woods region of Mississippi (Figure 6).

At Crosby, the Pavilion is a gathering place. This simple, open building marks a place to be used for many activities. It is a starting point for nature walks, for talks and discussions about important things in the environment and natural world, a place for exhibits and artistic performance, and a setting for social gatherings. (<http://www.crosbyarboretum.msstate.edu/pages/pinecote.php>). However, a new education building, designed by

Mississippi architect Tom Howorth, at the arboretum is being built for educational activities (Figure 7).

Some of the recreational events at Crosby Arboretum (2012):

Special events:

- Forge Day – January
- Quarterly Native Plant Sales
- Arbor Day Plant Sale (February)
- Spring Plant Sale (April)
- Aquatic Plant Sale (July)
- Fall Plant Sale (October)
- Wildlife Day (March)

Figure 6. Some views from South Savanna Exhibit (Photos: Banu Ozturk Kurtaslan, 2011).

Figure 7. New Education Center building
(<http://www.crosbyarboretum.msstate.edu/pages/visitors.php>)

- Strawberries and Cream – April
- Summer Nature Camp - June
- Bugfest - Third Weekend in September
- Piney Woods Heritage Festival - Second Weekend in November (Figure 8).
- Arboretum Open House – December

Figure 8. A concert as part of Piney Woods Heritage Festival

WINTER 2012:

- **Winter sparrow banding field walk:** A coastal bird biologist, MSU Coastal Research & Extension Center, will conduct this field walk and workshop that will focus on mist netting winter sparrows (primarily Henslow's sparrows) and give participants an opportunity to observe and handle wild birds.
- **Holiday ornaments for backyard wildlife-Kids:** Birds and other critters often need extra food in the winter for fuel and warmth. Children will enjoy making tasty delights such as peanut butter pinecone feeders and popcorn-cranberry garlands that will attract birds and wildlife to your backyard.
- **Arboretum open house**
- **Introduction to birding-family:** An avid birder and writer, will discuss the fun aspects of birding, including feeding and identification tips. Learn about our resident birds and migrants that visit each year, books, equipment, materials, and other birding resources.
- **Wild about winter:** The advanced Project Wild workshop will focus on native Mississippi winter wildlife and how to incorporate seasonal wildlife, particularly migratory species and organisms' winter adaptations, into the classroom.
- **Forge day:** blacksmithing and metalworking: A chance to learn techniques and tips to get started in metalworking. The demonstrations, or try the hand at the forge (Figure 9)
- **Arbor day native plant sale**

- **Winter botany field walk – Family:** With a Mississippi Department of Wildlife, Fisheries, & Parks Botanist, in an exploration of the Pond and Savanna Habitats of the Crosby Arboretum.

Figure 9. Forge day at the arboretum

SPRING 2012:

- **“Flying wild”: project wild teacher’s workshop:** Flying wild is designed to inspire young people to discover more about conservation and the natural world, and to get involved in activities that promote environmental learning and stewardship.
- **Firewise event: “how to have a firewise home”- Adults:** Information will be presented on how to design, construct, landscape, and maintain home or community so as to withstand a wildfire without the aid of firefighting resources on scene.
- **Wildlife day-School Day-:** Children will be thrilled to see the array of exhibitors displaying live and preserved animals, while learning how to protect and maintain wildlife in a field day open to area K-12 schools and homeschool groups.
- **The Jean Chisholm Lindsey lecture in landscape design –Adults-:** at the Welty House Garden featuring authors of *One Writer’s Garden: Eudora Welty’s Home Place*.
- **Strawberries & Cream festival:** To celebrate the history of the old strawberry farm on the Pinecote Pavilion. Ice cream, fresh strawberries, and Picayune Frog Lemonade will be served.
- **Spring plant sale**
- **Spider day- Family:** 10:00 a.m. – 2:00 p.m. MSU Entomology Student will begin the day with a 30-minute tarantula presentation in the Pinecote Pavilion. A 30 minute talk on venomous spiders will be conducted.

- **Spring field walk: native plants for the home landscape:** Join Director for a field walk through the Aquatic, Woodland, and Savanna Exhibits to discuss the plants growing in these habitats and how to use them in your home landscape.
- **Earth day at the arboretum:** A program, or visit exhibits that focus on nature and sustainable gardening. Programs: Earth day strategies used to protect Mississippi's coastal habitat, get to know native azaleas.
- **Painted pots –kids:** Decorating a clay pot and design a Mother's Day Card using recycled materials (Figure 10).
- **The native orchids of south Mississippi – Adults:** Learning to recognize and enjoy many of the thirty species of orchids native to the Gulf Coast.
- **"Walking with Kim":** A walk while enjoying the great outdoors.

SUMMER 2012

- **Green Fire Film and Discussion:** Viewing the new documentary, Green Fire: Aldo Leopold and a Land Ethic for Our Time. An extension Forestry Professor, will lead an interesting and lively discussion about the documentary from the perspective of "Aldo" Suited to ages 7 and up.
- **Kid's summer nature camp:** Children ages 6 through 12 will enjoy this four-day camp, learning about the outdoors with fun hands-on lessons, games, and activities.
- **Teachers' workshop-wild about art and math:** This interdisciplinary workshop is open to teachers and homeschool educators. A fun-filled, hands-on Project Wild workshop emphasizing art and math, conducted by Mississippi Museum of Natural Science Educational Outreach Biologist.
- **Crosby arboretum's summer aquatic plant sale**
- **Hummingbirds:** Understanding Ruby-throated Hummingbirds in your yard: James Bell, Hummingbird Bander, of the Hummer / Bird Study Group Inc. will explain what is going on in the hummingbirds life, how they feed, why they fight so much, how to overcome that one bad bird that thinks he owns the feeder, simple tips and tricks that will insure you see more hummingbirds, and enjoy the beauty of one of nature's most dazzling creations.
- **Teachers' workshop: wild About Creepy Crawlies:** The Project Wild workshop will focus on native Mississippi "creepy crawlies" and will be conducted by Crystie Baker, Mississippi Museum of Natural Science Educational Outreach Biologist.
- **Field walk & clay class:** Children will journey down the Arboretum pathways with director to collect natural materials they will use to impress into clay and form lasting memories.
- **Summer arboretum field work:** Trees, shrubs, and herbaceous plant material native to the region will be discussed, including uses in the home landscape.

FALL 2012

- **Mushroom walk:** Learning about fungi's fascinating ecology, taxonomy, and relationship to mankind with a professor in Biology from the University of South Alabama (Figure 11).

Figure 10. Decorating a clay pot for Mother's Day
(http://www.crosbyarboretum.msstate.edu/pdf/2011%20Crosby%20Summer%202011_WEBsmall.pdf)

- **Bugfest family event:** Insect collecting by school and homeschool groups (groups over 20 persons must call to pre-register for an arrival time).
- **Fall native plants sale**
- **Winter Sparrow Banding Field Walk**
- **Wildlife ornaments-Kids**
- **Arboretum Open House**
- **Project Learning Tree workshop:** One of the oldest and most successful environmental education programs in the world. PLT activities are unbiased, interdisciplinary, fun, hands-on lesson plans, based on sound science. The goal is to "teach students how to think not what to think about environmental issues." For early childhood.
- **The Annual Piney Woods Heritage Festival:** Offers visitors a chance to see, hear, taste, learn, and participate in all sorts of crafts and activities from the Piney Woods region. Celebrating the early days of the Piney Woods in this **10th** annual festival with exhibits and demonstrations of traditional skills such as blacksmithing, quilting, spinning, basket-making, and more.
- **Learn the art of bonsai**
- **Painted Pumpkins – Kids**
- **Yoga at Pinecote Pavilion – Adults** (Figure 12).

Figure 11. A view from “mushroom walk” activity

Figure 12. Yoga class at Pinecote Pavillion

- **Fall field walk:** Native plants for the home landscape
- **Girl scout environmental badges day:** Scouting groups may picnic before or after program times on the grounds as part of their visit.

In addition to these activities and events, every Friday arboretum volunteers meet. Volunteering presents very important contributions for the arboretum (Figure 14).

Figure 13. Joyce Applegate's Pearl River Community College botany class planted swamp gum trees on February 16, 2011 as volunteer
(http://www.crosbyarboretum.msstate.edu/pdf/2011%20Crosby%20Spring%202011_Web.pdf)

5. Conclusions

Crosby Arboretum is a public garden that has constituted with the efforts of ecological design. The ecological, recreational and esthetic values has been attracting a number of people both from its own site and the world. Especially, Pinecote's aquatic displays serves visitors to Southern Mississippi a rich taste of the diversity of life that resides here. The displays in the arboretum are designed to educate visitors with lots of activities and events. The goal of the arboretum staff is try to show the importance of these environmental processes both in natural areas and around all human development. So the unique sense of the place is preserved and celebrated with all other people. Crosby is fulfilling its missions of "preserving, protecting, and displaying plants native to the Pearl River Drainage Basin ecosystem, providing environmental and botanical research opportunities, and offering cultural, scientific, and recreational programs" with a succesful planningg, design and management.

Author details

Banu Ozturk Kurtaslan

Selcuk University Faculty of Agriculture, Department of Landscape Architecture, Turkey

Robert Brzuszek

Mississippi State University, Department of Landscape Architecture, USA

6. References

- [1] Yaltirik, F., 1969. Canli ve Kurutulmus Bitki Muzeleri (Arboretum, Botanik Bahcesi, Herbaryum), Istanbul Universitesi Orman Fakultesi Dergisi, Seri B, !9. Cilt, Sayi:1.
- [2] Sertkaya, S. 1997. Bartin Orman Fakultesi Arboretumu'nun Kurulmasina Yönelik Bir Arastirma. Yüksek Lisans Tezi. Zonguldak Karaelmas Universitesi Peyzaj Mimarligi Anabilim Dalı Zonguldak.
- [3] Francis, J. K., 1989. The Luquillo Experimental Forest Arboretum. United States Department of Agricultry, Forest Service, Southern Forest Experiment Station, pp. 1-8. USA.
- [4] Sat, B., 2002. Doga Koruma ve Cevre Egitimi Acisindan Arboretumlarin Islevleri ve Atatürk Arboretumu. Istanbul Universitesi Peyzaj Mimarligi Bolumu. Istanbul.
- [5] McHarg, I., 1969. Design with Nature. Doubleday/Natural History Press, Garden City, NY.
- [6] Mozingo, L. 1997. The Esthetics of Ecological Design: Seeing science as a culture. Landscape Journal. 16 (2): 46-59.
- [7] Van der Ryan, S., and Cowan, S., 1996. Ecological Design. Island Pres. Washington D.C. 1996. pp. 200.
- [8] Spirn, A.W., 1984. The Granite Garden: Urban Nature and Human Design. Basic Books, New York.
- [9] Hough, M., 1995. Cities and Natural Process. Routledge, New York.
- [10] Brzuszek, B. and Clark, J., 2009. The Crosby Arboretum. Native Plants. 10:2. Summer.
- [11] Anonymus, 1984. Crosby Arboretum Quarterly News Journal. Vol. 2.1
- [12] Brzuszek, B. 2012. Interview. The Curator of Pinecote, Crosby Arboretum. Mississippi State University Landscape Architecture Department. Starkville, USA.
- [13] Anonymus 2011. Crosby Arboretum-The Small Stream Swamp Forest Exhibit Master Plan. Booklet by the graduate class in the department of landscape architecture at Mississippi State University. Starkville.
- [14] Brzuszek, R., 2010. Artful Disturbance in The Piney Woods Landscape-The Crosby Arboretum.New Directions in American Landscape. Power Point Presentation. Connecticut College, Connecticut.
- [15] Templeton, K. and Templeton, B., 2009. Crosby Arboretum: A Celebration of Nature. The Crosby Arboretum- Mississippi State University Extension Service. Quarterly News Journal. Spring 2009. pp. 8-9. USA.

- [16] Randall L. Meador, 2010. The Crosby Arboretum- Mississippi State University Extension Service. Quarterly News Journal. Spring.24.2. MSU Masters of Landscape Architecture student and civil engineer, Neel Schaffer, Inc.
- [17] Anonymus, 2006. The Crosby Arboretum- Mississippi State University Extension Service. Quarterly News Journal. Spring 2006. pp. 223-229. USA.
- [18] Brzuszek, R., 2011. Interview. The Curator of Pinecote, Crosby Arboretum. Mississippi State University Landscape Architecture Department. Starkville, USA.
- [19] American Society of Landscape Architects, 1991. Landscape Architecture Magazine, November 1991.
- [20] Mozingo, L., 1997. The Esthetics of Ecological Design: Seeing science as a culture. Landscape Journal. 16 (2): 46-59.
- [21] Brzuszek, R., 1994. Celebrating Water at the Crosby Arboretum. Crosby Arboretum Quarterly News Journal. October 1994.
- [22] Spirn, A.W., 1984. The Granite Garden: Urban Nature and Human Design. Basic Books, New York.
- [23] Patchett, J. M. And Wilhelm, G.S. Conservation Design Forum, Inc. James M. Patchett & Gerould S. Wilhelm. Conservation Design Forum, Inc. USA.
- [24] Betz, S. 2004. Kids, Gardens and Art. A Natural Connection. The Herbarist. Issue 70. pp 45-48.